

BOCK LIGHTING QUICK SPEC GUIDE



The Bock Quick Spec Guide is a collection of commonly configured fixtures. Choose either LED or MED and the finish of your choosing. For the latest pricing, click on the Lamp Type associated with the finish and you'll be directed to the Bock website for a full part number, spec sheet, and pricing.

Gooseneck

10in Step Neck Angle

SN610-eG0-iG1 / LAC02 / GN23A-G0

SN610: 10in Step Neck Angle **eG0:** Black Exterior **iG1:** White Interior
LAC02: LED - Adjustable Lumens(1500,1850,OR 2400)
GN23A: 23in Gooseneck Mounting **G0:** Black Mounting

Link to MED Part Number

MED

G0 Black

LED

1500-2400 Lumens

MED

G1 White

LED

1500-2400 Lumens

MED

G2 Red

LED

1500-2400 Lumens

MED

G8 Dark Bronze

LED

1500-2400 Lumens

MED

G10 Dark Green

LED

1500-2400 Lumens

SN610-eG0-iG1 / LAC02 / GN30C-G0

10in Step Neck Angle, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 30in Gooseneck

MED

G0 Black

LED

1500-2400 Lumens

MED

G1 White

LED

1500-2400 Lumens

MED

G2 Red

LED

1500-2400 Lumens

MED

G8 Dark Bronze

LED

1500-2400 Lumens

MED

G10 Dark Green

LED

1500-2400 Lumens

Link to LED Part Number

12in Step Neck Angle

SN612-eG0-iG1 / LAC02 / GN23A-G0

12in Step Neck Angle, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 23in Gooseneck

SN612-eG0-iG1 / LAC02 / GN30C-G0

12in Step Neck Angle, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 30in Gooseneck

MED

G0 Black

LED

1500-2400 Lumens

MED

G1 White

LED

1500-2400 Lumens

MED

G2 Red

LED

1500-2400 Lumens

MED

G8 Dark Bronze

LED

1500-2400 Lumens

MED

G10 Dark Green

LED

1500-2400 Lumens

MED

G0 Black

LED

1500-2400 Lumens

MED

G1 White

LED

1500-2400 Lumens

MED

G2 Red

LED

1500-2400 Lumens

MED

G8 Dark Bronze

LED

1500-2400 Lumens

MED

G10 Dark Green

LED

1500-2400 Lumens

14in Step Neck Angle

SN614-eG0-iG1 / LAC02 / GN23A-G0

14in Step Neck Angle, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 23in Gooseneck

SN614-eG0-iG1 / LAC02 / GN30C-G0

14in Step Neck Angle, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 30in Gooseneck

MED

G0 Black

LED

1500-2400 Lumens

MED

G1 White

LED

1500-2400 Lumens

MED

G2 Red

LED

1500-2400 Lumens

MED

G8 Dark Bronze

LED

1500-2400 Lumens

MED

G10 Dark Green

LED

1500-2400 Lumens

MED

G0 Black

LED

1500-2400 Lumens

MED

G1 White

LED

1500-2400 Lumens

MED

G2 Red

LED

1500-2400 Lumens

MED

G8 Dark Bronze

LED

1500-2400 Lumens

MED

G10 Dark Green

LED

1500-2400 Lumens

Quick Spec

bocklighting.com

Gooseneck / Cord



12in Standard Dome

512-eG0-iG1 / LAC02 / GN23A-G0


508: 8in Standard Dome eG0: Black Exterior iG1: White Interior

LAC02: LED - Adjustable Lumens(1500,1850,OR 2400)

GN23A: 23in Gooseneck Mounting G0: Black Mounting




Link to MED Part Number



512-eG0-iG1 / LAC02 / 630C-10ft-G0-CB

12in Standard Dome, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy




Link to LED Part Number



14in Standard Dome


514-eG0-iG1 / LAC02 / GN23A-G0

14in Standard Dome, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 23in Gooseneck



514-eG0-iG1 / LAC02 / 630C-10ft-G0-CBK


14in Standard Dome, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy



16in Standard Dome


516-eG0-iG1 / LAC02 / GN23A-G0

16in Standard Dome, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 23in Gooseneck



516-eG0-iG1 / LAC02 / 630C-10ft-G0-CBK


16in Standard Dome, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy



20in Standard Dome


520-eG0-iG1 / LAC02 / GN23A-G0

20in Standard Dome, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 23in Gooseneck



520-eG0-iG1 / LAC02 / 630C-10ft-G0-CBK

20in Standard Dome, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy



Quick Spec

bocklighting.com

Gooseneck / Cord



8in Deep Bowl


SN908-eG0-iG1 / LAC02 / GN23A-G0

SN908: 8in Deep Bowl **eG0: Black Exterior** **iG1: White Interior**

LAC02: LED - Adjustable Lumens(1500,1850,OR 2400)

GN23A: 23in Gooseneck Mounting **G0: Black Mounting**


Link to MED Part Number



Link to LED Part Number

SN908-eG0-iG1 / LAC02 / 630C-10ft-G0-CBK


8in Deep Bowl, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy



10in Deep Bowl


SN910-eG0-iG1 / LAC02 / GN23A-G0

10in Deep Bowl, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy



SN910-eG0-iG1 / LAC02 / 630C-10ft-G0-CBK


10in Deep Bowl, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy



12in Deep Bowl


SN912-eG0-iG1 / LAC02 / GN23A-G0

12in Deep Bowl, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 23in Gooseneck



SN912-eG0-iG1 / LAC02 / 630C-10ft-G0-CBK


12in Deep Bowl, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy



14in SRDB


SRDB14-eG0-iG1 / LAC02 / GN23A-G0

14in SRDB, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 23in Gooseneck



SRDB14-eG0-iG1 / LAC02 / 630C-10ft-G0-CBK

14in SRDB, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord



Quick Spec

Gooseneck / Cord



12in Shallow Dome

412-eG0-iG1 / LAC02 / GN23A-G0


412: 12in Shallow Dome eG0: Black Exterior iG1: White Interior

LAC02: LED - Adjustable Lumens(1500,1850,OR 2400)

GN23A: 23in Gooseneck Mounting G0: Black Mounting




Link to MED Part Number



412-eG0-iG1 / LAC02 / 630C-10ft-G0-

CBK

12in Shallow Dome, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy




Link to LED Part Number



14in Shallow Dome

414-eG0-iG1 / LAC02 / GN23A-G0


14in Shallow Dome, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 23in Gooseneck



414-eG0-iG1 / LAC02 / 630C-10ft-G0-

CBK


14in Shallow Dome, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy



16in Shallow Dome

416-eG0-iG1 / LAC02 / GN23A-G0


16in Shallow Dome, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 23in Gooseneck



416-eG0-iG1 / LAC02 / 630C-10ft-G0-

CBK


16in Shallow Dome, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy



10in Datura Aluminum

Dat10-eG0-iG1 / LAC02 / GN23A-G0


10in Datura Aluminum, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 23in Gooseneck



Dat10-eG0-iG1 / LAC02 / 630C-10ft-

G0-CBK

10in Datura Aluminum, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord



Quick Spec

bocklighting.com

Gooseneck / Cord



16in Radial Wave

RW16-eG0-iG1 / LAC02 / GN23A-G0


RW16: 16in Radial Wave **eG0: Black Exterior** **iG1: White Interior**

LAC02: LED - Adjustable Lumens(1500,1850,OR 2400)

GN23A: 23in Gooseneck Mounting **G0: Black Mounting**




Link to MED Part Number



RW16-eG0-iG1 / LAC02 / 630C-10ft-G0-CBK

16in Radial Wave, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy




Link to LED Part Number



20in Radial Wave


RW20-eG0-iG1 / LAC02 / GN23A-G0

20in Radial Wave, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 23in Gooseneck



RW20-eG0-iG1 / LAC02 / 630C-10ft-G0-CBK


20in Radial Wave, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy



12in Shallow Cone


120HX-eG0-iG1 / LAC02 / GN23A-G0

12in Shallow Cone, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 23in Gooseneck



120HX-eG0-iG1 / LAC02 / 630C-10ft-G0-CBK


12in Shallow Cone, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy



16in Shallow Cone


160HX-eG0-iG1 / LAC02 / GN23A-G0

16in Shallow Cone, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 23in Gooseneck



160HX-eG0-iG1 / LAC02 / 630C-10ft-G0-CBK

16in Shallow Cone, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy



Quick Spec

bocklighting.com

Gooseneck / Cord

8in AH Series

AH08-eG0-iG1 / LAC02 / GN23A-G0


AH08: 8in AH Series **eG0: Black Exterior** **iG1: White Interior**

LAC02: LED - Adjustable Lumens(1500,1850,OR 2400)

GN23A: 23in Gooseneck Mounting **G0: Black Mounting**




Link to MED Part Number



AH08-eG0-iG1 / LAC02 / 630C-10ft-G0-CBK

8in AH Series black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy




Link to LED Part Number

12in AH Series


AH12-eG0-iG1 / LAC02 / GN23A-G0

12in AH Series, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 23in Gooseneck



AH12-eG0-iG1 / LAC02 / 630C-10ft-G0-CBK


12in AH Series, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy



14in AH Series


AH14-eG0-iG1 / LAC02 / GN23A-G0

14in AH Series, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 23in Gooseneck



AH14-eG0-iG1 / LAC02 / 630C-10ft-G0-CBK


14in AH Series, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy



16in AH Series


AH16-eG0-iG1 / LAC02 / GN23A-G0

16in AH Series, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 23in Gooseneck



AH16-eG0-iG1 / LAC02 / 630C-10ft-G0-CBK

16in AH Series, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy



Quick Spec

Gooseneck / Cord

8in AG Series

AG08-eG0-iG1 / LAC02 / GN23A-G0


AG08: 8in AH Series **eG0: Black Exterior** **iG1: White Interior**

LAC02: LED - Adjustable Lumens(1500,1850,OR 2400)

GN23A: 23in Gooseneck Mounting **G0: Black Mounting**




Link to MED Part Number



AG08-eG0-iG1 / LAC02 / 630C-10ft-G0-CBK

8in AG Series, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy




Link to LED Part Number

12in AG Series


AG12-eG0-iG1 / LAC02 / GN23A-G0

12in AG Series, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 23in Gooseneck



AG12-eG0-iG1 / LAC02 / 630C-10ft-G0-CBK


12in AG Series, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy



14in AG Series


AG14-eG0-iG1 / LAC02 / GN23A-G0

14in AG Series, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 23in Gooseneck



AG16-eG0-iG1 / LAC02 / 630C-10ft-G0-CBK


14in AG Series, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy



16in AG Series


AG16-eG0-iG1 / LAC02 / GN23A-G0

16in AG Series, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 23in Gooseneck




AG16-eG0-iG1 / LAC02 / 630C-10ft-G0-CBK

16in AG Series, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy



Quick Spec

Gooseneck / Cord



8in Trapez Style Reflector

TRAPEZ08-eG0-iG1 / LAC02 / GN23A-G0


TRAPEZ08: 8in Trapez **eG0: Black Exterior** **iG1: White Interior**

LAC02: LED - Adjustable Lumens(1500,1850,OR 2400)

GN23A: 23in Gooseneck Mounting **G0: Black Mounting**




Link to MED Part Number



Link to LED Part Number

TRAPEZ08-eG0-iG1 / LAC02 / 630C-10ft-G0-CBK


8in Trapez Style Reflector, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy



16in Trapez Style Reflector


TRAPEZ16-eG0-iG1 / LAC02 / GN23A-G0

16in Trapez Style Reflector, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy



TRAPEZ16-eG0-iG1 / LAC02 / 630C-10ft-G0-CBK


16in Trapez Style Reflector, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy



9in Soffione Aluminum


SOF9-eG0-iG1 / LAC02 / GN23A-G0

9in Soffione Aluminum, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 23in Gooseneck



SOF9-eG0-iG1 / LAC02 / 630C-10ft-G0-CBK


9in Soffione Aluminum, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy



8in AY


AY08-eG0-iG1 / LAC02 / GN23A-G0

8in AY, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 23in Gooseneck



AY08-eG0-iG1 / LAC02 / 630C-10ft-G0-CBK

8in AY, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy



Quick Spec

Gooseneck / Cord

12in AL Series

AL12-eG0-iG1 / LAC02 / GN23A-G0


AL12: 12in AL Series eG0: Black Exterior iG1: White Interior

LAC02: LED - Adjustable Lumens(1500,1850,OR 2400)

GN23A: 23in Gooseneck Mounting G0: Black Mounting




Link to MED Part Number



AL12-eG0-iG1 / LAC02 / 630C-10ft-G0-

CBK

12in AL Series, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy




Link to LED Part Number

14in AL Series

AL14-eG0-iG1 / LAC02 / GN23A-G0


14in AL Series, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 23in Gooseneck



AL14-eG0-iG1 / LAC02 / 630C-10ft-G0-

CBK


14in AL Series, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy



16in AL Series

AL16-eG0-iG1 / LAC02 / GN23A-G0


16in AL Series, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 23in Gooseneck



AL16-eG0-iG1 / LAC02 / 630C-10ft-G0-

CBK


16in AL Series, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy



18in AL Series

AL18-eG0-iG1 / LAC02 / GN23A-G0


18in AL Series, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 23in Gooseneck



AL18-eG0-iG1 / LAC02 / 630C-10ft-G0-

CBK

18in AL Series, black exterior, white interior, LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy



Quick Spec

bocklighting.com

Gooseneck / Cord

14in VRM

VRM-B14-eG0-iG1 / LVXV1-2000-30K / 41 / GN23A-G0


VRM-B14: 14in VRM-B eG0: Black Exterior iG1: White Interior

LVXV1: LED - Fixed Lumens(1250,1500,1700,OR 2000) 41: Clear Jelly Jar

GN23A: 23in Gooseneck Mounting G0: Black Mounting




Link to MED Part Number



VRM-B14-eG0-iG1 / LVXV1-2000-30K / 41 / 630C-10FT-G0-CBK

14in VRM-B, black exterior, white interior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 10ft cord




Link to LED Part Number



16in VRM


VRM-B16-eG0-iG1 / LVXV1-2000-30K / 41 / GN23A-G0

16in VRM-B, black exterior, white interior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 23in Gooseneck



VRM-B16-eG0-iG1 / LVXV1-2000-30K / 41 / 630C-10FT-G0-CBK


16in VRM-B, black exterior, white interior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 10ft cord



18in VRM


VRM-C18-eG0-iG1 / LVXV1-2000-30K / 41 / GN23A-G0

18in VRM-C, black exterior, white interior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 23in Gooseneck



VRM-C18-eG0-iG1 / LVXV1-2000-30K / 41 / 630C-10FT-G0-CBK


18in VRM-C, black exterior, white interior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 10ft cord



20in VRM


VRM-C20-eG0-iG1 / LVXV1-2000-30K / 41 / GN23A-G0

20in VRM-C, black exterior, white interior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 23in Gooseneck



VRM-C20-eG0-iG1 / LVXV1-2000-30K / 41 / 630C-10FT-G0-CBK

20in VRM-C, black exterior, white interior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 10ft cord



Quick Spec

bocklighting.com

Wall / Stem

10in PLE

WPLE10-eG0 / LVXV1-2000-30K / 41 / GN12I-G0


WPLE10: 10in Wall PLE eG0: Black Exterior

LVXV1: LED - Fixed Lumens(1250,1500,1700,OR 2000) 41: Clear Jelly Jar

GN12I: 12in Style I Gooseneck G0: Black Mounting




Link to MED Part Number



TPLE10-eG0 / LVXV1-2000-30K / 41 / 640-75-G0 / ST3-24-G0

10in Top Mounted PLE, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 2ft stem




Link to LED Part Number



16in PLE


WPLE16-eG0 / LVXV1-2000-30K / 41 / GN12I-G0

16in Wall Mounted PLE, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 12in Style I Gooseneck



TPLE16-eG0 / LVXV1-2000-30K / 41 / 640-75-G0 / ST3-24-G0


16in Top Mounted PLE, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 2ft stem



PLB


WPLB16-eG0 / LVXV1-2000-30K / 41 / GN12I-G0

16in Wall Mounted PLB, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 12in Style I Gooseneck



TPLB16-eG0 / LVXV1-2000-30K / 41 / 640-75-G0 / ST3-24-G0


16in Top Mounted PLB, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 2ft stem



NR6


WPLUNR6-eG0 / LVXV1-2000-30K / 41 / GN12I-G0

6in Wall Mounted PLU, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 12in Style I Gooseneck



TPLUNR6-eG0 / LVXV1-2000-30K / 41 / 640-75-G0 / ST3-24-G0

6in Top Mounted PLU, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 2ft stem



Quick Spec

bocklighting.com

Wall / Stem

12in PLU

WPLU12-eG0 / LVXV1-2000-30K / 41 / GN12I-G0


WPLU12: 12in Wall PLU | eG0: Black Exterior

LVXV1: LED - Fixed Lumens(1250,1500,1700,OR 2000) | 41: Clear Jelly Jar

GN12I: 12in Style I Gooseneck | G0: Black Mounting




Link to MED Part Number



TPLU12-eG0 / LVXV1-2000-30K / 41 / 640-75-G0 / ST3-24-G0

12in Top Mounted PLU, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 2ft stem




Link to LED Part Number



14in PLU


WPLU14-eG0 / LVXV1-2000-30K / 41 / GN12I-G0

14in Wall Mounted PLU, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 12in Style I Gooseneck



TPLU14-eG0 / LVXV1-2000-30K / 41 / 640-75-G0 / ST3-24-G0



14in Top Mounted PLU, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 2ft stem



16in PLU


WPLU16-eG0 / LVXV1-2000-30K / 41 / GN12I-G0

16in Wall Mounted PLU, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 12in Style I Gooseneck



TPLU16-eG0 / LVXV1-2000-30K / 41 / 640-75-G0 / ST3-24-G0


16in Top Mounted PLU, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 2ft stem



20in PLU


WPLU20-eG0 / LVXV1-2000-30K / 41 / GN12I-G0

20in Wall Mounted PLU, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 12in Style I Gooseneck



TPLU20-eG0 / LVXV1-2000-30K / 41 / 640-75-G0 / ST3-24-G0

20in Top Mounted PLU, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 2ft stem



Quick Spec

Wall / Stem

12in PLS

WPLS12-eG0 / LVXV1-2000-30K / 41 / GN12I-G0


WPLS12: 12in Wall PLS **eG0: Black Exterior**

LVXV1: LED - Fixed Lumens(1250,1500,1700,OR 2000) **41: Clear Jelly Jar**

GN12I: 12in Style I Gooseneck **G0: Black Mounting**




[Link to MED Part Number](#)



TPLS12-eG0 / LVXV1-2000-30K / 41 / 640-75-G0 / ST3-24-G0

12in Top Mounted PLS, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 2ft stem




[Link to LED Part Number](#)



14in PLS


WPLS14-eG0 / LVXV1-2000-30K / 41 / GN12I-G0

14in Wall Mounted PLS, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 12in Style I Gooseneck



TPLS14-eG0 / LVXV1-2000-30K / 41 / 640-75-G0 / ST3-24-G0


14in Top Mounted PLS, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 2ft stem



16in PLS


WPLS16-eG0 / LVXV1-2000-30K / 41 / GN12I-G0

16in Wall Mounted PLS, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 12in Style I Gooseneck



TPLS16-eG0 / LVXV1-2000-30K / 41 / 640-75-G0 / ST3-24-G0


16in Top Mounted PLS, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 2ft stem



20in PLS


WPLS20-eG0 / LVXV1-2000-30K / 41 / GN12I-G0

20in Wall Mounted PLS, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 12in Style I Gooseneck



TPLS20-eG0 / LVXV1-2000-30K / 41 / 640-75-G0 / ST3-24-G0

20in Top Mounted PLS, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 2ft stem



Quick Spec

Wall / Stem

14in PDL

WPDL14-eG0 / LVXV1-2000-30K / 41 / GN12I-G0

WPDL14: 14in Wall PDL eG0: Black Exterior



LVXV1: LED - Fixed Lumens(1250,1500,1700,OR 2000) 41: Clear Jelly Jar

GN12I: 12in Style I Gooseneck G0: Black Mounting



TPDL14-eG0 / LVXV1-2000-30K / 41 / 640-75-G0 / ST3-24-G0

14in Top Mounted PDL, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 2ft stem



16in PDL



WPDL16-eG0 / LVXV1-2000-30K / 41 / GN12I-G0

16in Wall Mounted PDL, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 12in Style I Gooseneck



TPDL16-eG0 / LVXV1-2000-30K / 41 / 640-75-G0 / ST3-24-G0

16in Top Mounted PDL, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 2ft stem



18in PDL



WPDL18-eG0 / LVXV1-2000-30K / 41 / GN12I-G0

18in Wall Mounted PDL, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 12in Style I Gooseneck



TPDL18-eG0 / LVXV1-2000-30K / 41 / 640-75-G0 / ST3-24-G0

18in Top Mounted PDL, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 2ft stem



24in PDL



WPDL24-eG0 / LVXV1-2000-30K / 41 / GN18I-G0

24in Wall Mounted PDL, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 18in Style I Gooseneck



TPDL24-eG0 / LVXV1-2000-30K / 41 / 640-75-G0 / ST3-24-G0

24in Top Mounted PDL, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black 2ft stem



Quick Spec

Vaportight

Wall Mount

VWB215-eG0 / LVXVI-2000-30K / 41 / G-G0

VWB215 - Small Wall Mount eG0: Black Exterior

LVXVI: LED - Fixed Lumens(1250,1500,1700,OR 2000)



41: Clear Jelly Jar G: Guard G0: Black Guard



VWB230-eG0 / LVXVI-2000-30K / 42 / G-G0

Large Wall Mount, black exterior, LVXVI-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black guard

Link to MED Part Number



Link to LED Part Number





Flush Mount

VX215-eG0 / LVXVI-2000-30K / 41 / G-G0

Small Flush Mount, black exterior, LVXVI-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black guard

VX230-eG0 / LVXVI-2000-30K / 42 / G-G0

Large Flush Mount, black exterior, LVXVI-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black guard





Stem

VP215-eG0 / LVXVI-2000-30K / 41 / G-G0 / 640-50-G0 / ST2-24-G0

Small Stem Mount, black exterior, LVXVI-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black guard

VP230-eG0 / LVXVI-2000-30K / 42 / G-G0 / 640-50-G0 / ST2-24-G0

Small Cord Mount, black exterior, LVXVI-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black guard





Cord

VP215-eG0 / LVXVI-2000-30K / 41 / G-G0 / 630C-10FT-G0

Large Stem Mount, black exterior, LVXVI-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black guard

VP230-eG0 / LVXVI-2000-30K / 42 / G-G0 / 630C-10FT-G0

Large Cord Mount, black exterior, LVXVI-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black guard



Quick Spec

Beretto

Cord / Stem

Beret15-eG0-iG1 / LAH01 / 630C-10FT-G0-CBK

BERET15: 15in Beretto **eG0: Black Exterior** **iG1: White Interior**

LAH01: LED - Adjustable Lumens(3000,4000,OR 5000)

630C-10FT: 10ft Covert Canopy Cord **G0: Black Mounting**

CBK: Black Cord



Link to MED Part Number

BERET15-eG0-iG1 / LAH01 / 640-50-G0 / ST2-24-G0

15in Beretto, black exterior, white interior, LAH01-field adjustable Lumens(3000, 4000, or 5000), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 2ft stem

15in	15in	15in	15in	15in
20in	20in	20in	20in	20in
24in	24in	24in	24in	24in
30in	30in	30in	30in	30in
36in	36in	36in	36in	36in
48in	48in	48in	48in	48in
60in	60in	60in	60in	60in
MED	MED	MED	MED	MED
G0 Black	G1 White	eG0 Black	eG1 White	G28 Sungold
LED 3000-5000 Lumens	LED 3000-5000 Lumens	LED 3000-5000 Lumens	LED 3000-5000 Lumens	LED 3000-5000 Lumens
15in	15in	15in	15in	15in
20in	20in	20in	20in	20in
24in	24in	24in	24in	24in
30in	30in	30in	30in	30in
36in	36in	36in	36in	36in
48in	48in	48in	48in	48in
60in	60in	60in	60in	60in

15in	15in	15in	15in	15in
20in	20in	20in	20in	20in
24in	24in	24in	24in	24in
30in	30in	30in	30in	30in
36in	36in	36in	36in	36in
48in	48in	48in	48in	48in
60in	60in	60in	60in	60in
MED	MED	MED	MED	MED
G0 Black	G1 White	eG0 Black	eG1 White	G28 Sungold
LED 3000-5000 Lumens	LED 3000-5000 Lumens	LED 3000-5000 Lumens	LED 3000-5000 Lumens	LED 3000-5000 Lumens
15in	15in	15in	15in	15in
20in	20in	20in	20in	20in
24in	24in	24in	24in	24in
30in	30in	30in	30in	30in
36in	36in	36in	36in	36in
48in	48in	48in	48in	48in
60in	60in	60in	60in	60in

Link to LED Part Number

Tabletop / Ceiling

BERET15-eG0-iG1 / LAH01 / GNX-1114-14.5R-G0

15in Beretto, black exterior, white interior, LAH01-field adjustable Lumens(3000, 4000, or 5000), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 30in table top overhang

BERET15-eG0-iG1 / LAH01 / DCMH-G0

15in Beretto, black exterior, white interior, LAH01-field adjustable Lumens(3000, 4000, or 5000), field adjustable Kelvins(3000, 3500, 4000, or 5000), black direct ceiling mount



15in	15in	15in	15in	15in
20in	20in	20in	20in	20in
24in	24in	24in	24in	24in
MED	MED	MED	MED	MED
G0 Black	G1 White	eG0 Black	eG1 White	G28 Sungold
LED 3000-5000 Lumens	LED 3000-5000 Lumens	LED 3000-5000 Lumens	LED 3000-5000 Lumens	LED 3000-5000 Lumens
15in	15in	15in	15in	15in
20in	20in	20in	20in	20in
24in	24in	24in	24in	24in

15in	15in	15in	15in	15in
20in	20in	20in	20in	20in
24in	24in	24in	24in	24in
MED	MED	MED	MED	MED
G0 Black	G1 White	eG0 Black	eG1 White	G28 Sungold
LED 3000-5000 Lumens	LED 3000-5000 Lumens	LED 3000-5000 Lumens	LED 3000-5000 Lumens	LED 3000-5000 Lumens
15in	15in	15in	15in	15in
20in	20in	20in	20in	20in
24in	24in	24in	24in	24in

Pianeta

Cord / Stem

PIANETA-P-WH-08-eG0 / LVGV1-2000-27K / 630C-10FT-G0-CBK

PIANETA-P-WH-08: 8in White Pianeta eG0: Black Fitter

LVGV1: LED - Fixed Lumens(1250,1500,1700,OR 2000)

630C-10FT: 10ft Covert Canopy Cord G0: Black Mounting



Link to MED Part Number

8in	8in	8in
10in	10in	10in
12in	12in	12in
14in	14in	14in
18in	18in	18in
20in	20in	20in
24in	24in	24in

MED



**LED
Various
Lumens**

MED



**LED
Various
Lumens**

MED



**LED
Various
Lumens**

8in	8in	8in
10in	10in	10in
12in	12in	12in
14in	14in	14in
18in	18in	18in
20in	20in	20in
24in	24in	24in

Link to LED Part Number

PIANETA-P-WH-08-eG0 / LVGV1-2000-27K / 640-50-G0 / ST2-24-G0

8in Pianeta, black fitter, LVGV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), black 2ft stem

8in	8in	8in
10in	10in	10in
12in	12in	12in
14in	14in	14in
18in	18in	18in
20in	20in	20in
24in	24in	24in

MED



**LED
Various
Lumens**

MED



**LED
Various
Lumens**

MED



**LED
Various
Lumens**

8in	8in	8in
10in	10in	10in
12in	12in	12in
14in	14in	14in
18in	18in	18in
20in	20in	20in
24in	24in	24in

Tabletop / Ceiling

PIANETA-P-WH-08-eG0 / LVGV1-2000-27K / GNX-1114-14.5R-G0

8in Pianeta, black fitter, LVGV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), black 30in table top overhang



Pianeta-S-08-eG1 / LVGV1-2000-27K

8in Pianeta, white fitter, LVGV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000)

8in	8in	8in
10in	10in	10in
12in	12in	12in
14in	14in	14in
18in	18in	18in
20in	20in	20in
24in	24in	24in

MED



**LED
Various
Lumens**

MED



**LED
Various
Lumens**

MED



**LED
Various
Lumens**

8in	8in	8in
10in	10in	10in
12in	12in	12in
14in	14in	14in
18in	18in	18in
20in	20in	20in
24in	24in	24in

8in
10in
12in
14in
18in
20in
24in

MED



**LED
Various
Lumens**

8in
10in
12in
14in
18in
20in
24in

Mirabella

Cord / Stem

A30112125131 / LVGV1-2000-27K /

630C-10FT-G0-CBK

A30112125131: 8in White Mirabella

LVGV1: LED - Fixed Lumens(1250,1500,1700,OR 2000)

630C-10FT: 10ft Covert Canopy Cord **G0: Black Mounting**



Link to MED Part Number

8in	8in	8in
9in	9in	9in
10in	10in	10in
12in	12in	12in
14in	14in	14in
16in	16in	16in
18in	18in	18in

MED MED MED



LED
1250-2000
Lumens



LED
1250-2000
Lumens



LED
1250-2000
Lumens

8in	8in	8in
9in	9in	9in
10in	10in	10in
12in	12in	12in
14in	14in	14in
16in	16in	16in
18in	18in	18in

Link to LED Part Number

A30112125131 / LVGV1-2000-27K / 640-50-G0 / ST2-24-G0

8in Mirabella, LVGV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), black 2ft stem

8in	8in	8in
9in	9in	9in
10in	10in	10in
12in	12in	12in
14in	14in	14in
16in	16in	16in
18in	18in	18in

MED MED MED



LED
1250-2000
Lumens



LED
1250-2000
Lumens



LED
1250-2000
Lumens

8in	8in	8in
9in	9in	9in
10in	10in	10in
12in	12in	12in
14in	14in	14in
16in	16in	16in
18in	18in	18in

Tabletop / Ceiling

A30112125131 / LVGV1-2000-27K / GNX-1114-14.5R-G0

8in Mirabella, LVGV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), black 30in table top overhang



A10112125130 / LVGV1-2000-27K

8in Pianeta, white fitter, LVGV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000)

8in	8in	8in
9in	9in	9in
10in	10in	10in
12in	12in	12in
14in	14in	14in
16in	16in	16in
18in	18in	18in

MED MED MED



LED
1250-2000
Lumens



LED
1250-2000
Lumens



LED
1250-2000
Lumens

8in	8in	8in
9in	9in	9in
10in	10in	10in
12in	12in	12in
14in	14in	14in
16in	16in	16in
18in	18in	18in

8in
9in
10in
12in
14in
16in
18in

MED



LED
1250-2000
Lumens

8in
9in
10in
12in
14in
16in
18in

Cord

AN/AM Style

AN14-eG0-iG1 / LVGV1-2000-27K-EM / 630C-10FT-G0-CBK


AN14: 14in AN Style eG0: Black Exterior eG1: White Interior

LVGV1: LED - Fixed Lumens(1250,1500,1700,OR 2000)

630C-10FT: 10ft Covert Canopy Cord G0: Black Mounting




Link to MED Part Number



Link to LED Part Number

AM09-eG0-iG1 / LVGV1-2000-27K / 630C-10FT-G0-CBK


9in AM Style, black exterior, white interior, LVGV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), black 10ft cord



YL/Nuno


YL14-eG0-iG1 / LVGV1-2000-27K / 630C-10FT-G0-CBK

14in YL, black exterior, white interior, LVGV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), black 10ft cord



Nuno-10-eG0-iG1 / MED / 630C-10FT-G0-CBK

10in Nuno, black exterior, white interior, MED-Medium Base Socket, black 10ft cord



Bodo/AO Style


Bodo12-eG0-iG1 / LVGV1-2000-30K / 630C-10FT-G0-CBK

12in Bodo, black exterior, white interior, LVGV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), black 10ft cord



AO7-eG0-iG1 / LVGV1-2000-27K / 630C-10FT-G0-CBK


7in AO Style, black exterior, white interior, LVGV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), black 10ft cord



Winnie/Woozle


Winnie11-eG0-iG1 / LVGV1-2000-27K / 630C-10FT-G0-CBK

11in Winnie, black fixture, white cage, LVGV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), black 10ft cord



Woozle14-eG0-iG1 / LVGV1-2000-27K / 630C-10FT-G0-CBK

14in Woozle, black fixture, white cage, LVGV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), black 10ft cord



Quick Spec

bocklighting.com

Cord

Bullet - Stanrad/Perforated

BULLET5-eG0 / LVGV1-2000-27K / 630C-10FT-G0

Bullet5: 5in Bullet eG0: Black Exterior

LVGV1: LED - Fixed Lumens(1250,1500,1700,OR 2000)

630C-10FT: 10ft Covert Canopy Cord G0: Black Mounting




Link to MED Part Number



Link to LED Part Number

BULLET5P-eG0 / LVGV1-2000-27K / 630C-10FT-G0



5in Perforated Bullet, black exterior, LVGV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), black 10ft cord



Geodesic Dome

T82-20-eG0-iG1 / LAH01-27K / 630C-1AC-10FT-G0

20in Geodesic Dome, black exterior, white interior, LAH01-field adjustable Lumens(3000, 4000, or 5000), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord with 1 aircraft cable



T82-30-eG0-iG1 / LAH01-27K / 630C-1AC-10FT-G0


30in Geodesic Dome, black exterior, white interior, LAH01-field adjustable Lumens(3000, 4000, or 5000), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord with 1 aircraft cable



Aereo/Colline

Aereo32-eG0 / LBAC1-1-2000-27K / 630C-3AC-10FT-G0

32in Aereo, black exterior, white interior, LBAC1-1-fixed Lumens(1600, 1800, 2000, 2500, 3000, 4000, or 5000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), black 10ft cord with 1 aircraft cable



Colline-12-eG0-iG1 / LVGV1-2000-27K / 630C-1AC-10FT-G0



12in Colline, black exterior, white interior, LVGV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), black 10ft cord with 1 aircraft cable



Umbrelle

OMBRELLE-18-eG0-iG1 / LVGV1-2000-27K / 630C-1AC-10FT-G0

18in Umbrelle, black exterior, white interior, LVGV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), black 10ft cord with 1 aircraft cable



OMBRELLE-24-eG0-iG1 / LVGV1-2000-27K / 630C-1AC-10FT-G0

24in Umbrelle, black exterior, white interior, LVGV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), black 10ft cord with 1 aircraft cable

Quick Spec

bocklighting.com

Indoor Commercial

12in/17in BGL

BGL12-eG0-iG1 / LAH01-LAC02 / 503-10FT-G0-CBK

BGL12: 12in BGL | **eG0: Black Exterior** | **iG1: White Interior**

LAH01-LAC02: LED - Adjustable Lumens(3000,4000,OR 5000)

630C-3AC-10ft: 10ft 3 Cable Cord | **G0: Black Canopy**

CBK: BlackCord



G0 Black
LED 3000-5000 Lumens



G1 White
LED 3000-5000 Lumens



G2 Red
LED 3000-5000 Lumens



G8 Dark Bronze
LED 3000-5000 Lumens



G10 Dark Green
LED 3000-5000 Lumens

17in BGL, black exterior, white interior, Down-LAH01-field adjustable Lumens(3000, 4000, or 5000), Up-LAC02-field adjustable Lumens(1500, 1850, or 2400), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 3 cable 10ft cord and canopy



G0 Black
LED 3000-5000 Lumens



G1 White
LED 3000-5000 Lumens



G2 Red
LED 3000-5000 Lumens



G8 Dark Bronze
LED 3000-5000 Lumens



G10 Dark Green
LED 3000-5000 Lumens

[Link to LED Part Number](#)

14in/16in Industrialite

IND14-eG0-iG1 / LAH01 / 630C-10FT-G0

14in Industrialite, black exterior, white interior, LAH01-field adjustable Lumens(3000, 4000, or 5000), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy



G0 Black
LED 3000-5000 Lumens



G1 White
LED 3000-5000 Lumens



G2 Red
LED 3000-5000 Lumens



G8 Dark Bronze
LED 3000-5000 Lumens



G10 Dark Green
LED 3000-5000 Lumens

16in Industrialite, black exterior, white interior, LAH01-field adjustable Lumens(3000, 4000, or 5000), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy



G0 Black
LED 3000-5000 Lumens



G1 White
LED 3000-5000 Lumens



G2 Red
LED 3000-5000 Lumens



G8 Dark Bronze
LED 3000-5000 Lumens



G10 Dark Green
LED 3000-5000 Lumens

18in/24in Industrialite

IND18-eG0-iG1 / LAH01 / 630C-10FT-G0

18in Industrialite, black exterior, white interior, LAH01-field adjustable Lumens(3000, 4000, or 5000), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy



G0 Black
LED 3000-5000 Lumens



G1 White
LED 3000-5000 Lumens



G2 Red
LED 3000-5000 Lumens



G8 Dark Bronze
LED 3000-5000 Lumens



G10 Dark Green
LED 3000-5000 Lumens

IND24-eG0-iG1 / 630C-1AC / 643HD-10FT-G0

24in Industrialite, black exterior, white interior, LAH01-field adjustable Lumens(3000, 4000, or 5000), field adjustable Kelvins(3000, 3500, 4000, or 5000), black heavy duty 10ft cord and canopy



G0 Black
LED 3000-5000 Lumens



G1 White
LED 3000-5000 Lumens



G2 Red
LED 3000-5000 Lumens



G8 Dark Bronze
LED 3000-5000 Lumens



G10 Dark Green
LED 3000-5000 Lumens

12in/16in Brilliante

BRL12-eG0-iG1 / LAH01 / 630C-10FT-G0

12in Brilliante, black exterior, LAH01-field adjustable Lumens(3000, 4000, or 5000), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy



G0 Black
LED 3000-5000 Lumens



G1 White
LED 3000-5000 Lumens



G2 Red
LED 3000-5000 Lumens



G8 Dark Bronze
LED 3000-5000 Lumens



G10 Dark Green
LED 3000-5000 Lumens

22in Brilliante, black exterior, LAH01-field adjustable Lumens(3000, 4000, or 5000), field adjustable Kelvins(3000, 3500, 4000, or 5000), black 10ft cord and canopy



G0 Black
LED 3000-5000 Lumens



G1 White
LED 3000-5000 Lumens



G2 Red
LED 3000-5000 Lumens



G8 Dark Bronze
LED 3000-5000 Lumens



G10 Dark Green
LED 3000-5000 Lumens

Quick Spec

Pole Top

Single/Double

514-eG0-iG1 / LAH01 / PT-1-G0

514: 14in Standard Dome **eG0: Black Exterior**

iG1: White Interior

LAH01: LED - Adjustable Lumens(3000,4000,OR 5000)

41: Clear Jelly Jar **PT-1: Single Pole Top**

G0: Black Mounting

514-eG0-iG1 / LAH01 / PT-2-G0

14in Standard Dome, black exterior, white interior, LAH01-field adjustable Lumens(3000, 4000, or 5000), field adjustable Kelvins(3000, 3500, 4000, or 5000), clear glass, black double pole top mount

Single/Double

516-eG0-iG1 / LAH01 / PT-1-G0

16in Standard Dome, black exterior, white interior, LAH01-field adjustable Lumens(3000, 4000, or 5000), field adjustable Kelvins(3000, 3500, 4000, or 5000), clear glass, black single pole top mount

516-eG0-iG1 / LAH01 / PT-2-G0

16in Standard Dome, black exterior, white interior, LAH01- field adjustable Lumens(3000, 4000, or 5000), field adjustable Kelvins(3000, 3500, 4000, or 5000), clear glass, black double pole top mount

Single/Double

518-eG0-iG1 / LAH01 / PT-1-G0

18in Standard Dome, black exterior, white interior, LAH01-field adjustable Lumens(3000, 4000, or 5000), field adjustable Kelvins(3000, 3500, 4000, or 5000), clear glass, black single pole top mount

518-eG0-iG1 / LAH01 / PT-2-G0

18in Standard Dome, black exterior, white interior, LAH01-field adjustable Lumens(3000, 4000, or 5000), field adjustable Kelvins(3000, 3500, 4000, or 5000), clear glass, black double pole top mount














Single/Double

520-eG0-iG1 / LAH01 / PT-1-G0

20in Standard Dome, black exterior, white interior, LAH01-field adjustable Lumens(3000, 4000, or 5000), field adjustable Kelvins(3000, 3500, 4000, or 5000), clear glass, black single pole top mount

520-eG0-iG1 / LAH01 / PT-2-G0

20in Standard Dome, black exterior, white interior, LAH01-field adjustable Lumens(3000, 4000, or 5000), field adjustable Kelvins(3000, 3500, 4000, or 5000), clear glass, black double pole top mount



Pole Top

Single/Double

VRM-B14-eG0-iG1 / LVXV1-2000-30K / 41 / PT-1-G0

VRM-B14: 14in VRM-B eG0: Black Exterior

iG1: White Interior

LVXV1: LED - Fixed Lumens(1250,1500,1700,OR 2000)

41: Clear Jelly Jar PT-1: Single Pole Top

G0: Black Mounting

VRM-B14-eG0-iG1 / LVXV1-2000-30K / 41 / PT-2-G0

14in VRM-B, black exterior, white interior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black double pole top mount

Single/Double

VRM-B16-eG0-iG1 / LVXV1-2000-30K / 41 / PT-1-G0

16in VRM-B, black exterior, white interior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black single pole top mount

VRM-B16-eG0-iG1 / LVXV1-2000-30K / 41 / PT-2-G0

16in VRM-B, black exterior, white interior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black double pole top mount

Single/Double

VRM-C18-eG0-iG1 / LVXV1-2000-30K / 41 / PT-1-G0

18in VRM-C, black exterior, white interior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black single pole top mount

VRM-C18-eG0-iG1 / LVXV1-2000-30K / 41 / PT-2-G0

18in VRM-C, black exterior, white interior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black double pole top mount

Single/Double

VRM-C20-eG0-iG1 / LVXV1-2000-30K / 41 / PT-1-G0

20in VRM-C, black exterior, white interior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black single pole top mount

VRM-C20-eG0-iG1 / LVXV1-2000-30K / 41 / PT-2-G0

20in VRM-C, black exterior, white interior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black double pole top mount



Link to MED Part Number



LED
1250-2000
Lumens



LED
1250-2000
Lumens



LED
1250-2000
Lumens

Link to LED Part Number



LED
1250-2000
Lumens



LED
1250-2000
Lumens



LED
1250-2000
Lumens



LED
1250-2000
Lumens



LED
1250-2000
Lumens



LED
1250-2000
Lumens



LED
1250-2000
Lumens



LED
1250-2000
Lumens



LED
1250-2000
Lumens



LED
1250-2000
Lumens



LED
1250-2000
Lumens



LED
1250-2000
Lumens



LED
1250-2000
Lumens



LED
1250-2000
Lumens



LED
1250-2000
Lumens



LED
1250-2000
Lumens



LED
1250-2000
Lumens



LED
1250-2000
Lumens



LED
1250-2000
Lumens



LED
1250-2000
Lumens



LED
1250-2000
Lumens

Pole Top



Link to MED Part Number



LED
1250-2000
Lumens

LED
1250-2000
Lumens

LED
1250-2000
Lumens

Link to LED Part Number



LED
1250-2000
Lumens

LED
1250-2000
Lumens

LED
1250-2000
Lumens



LED
1250-2000
Lumens

LED
1250-2000
Lumens

LED
1250-2000
Lumens



LED
1250-2000
Lumens

LED
1250-2000
Lumens

LED
1250-2000
Lumens

Quick Spec

Single/Double

**TPLE10-eG0 / LVXV1-2000-30K
/ 41 / PT-1-G0**

TPLE10: 10in Top PLE eG0: Black Exterior

LVXV1: LED - Fixed Lumens(1250,1500,1700,OR 2000)

41: Clear Jelly Jar PT-1: Single Pole Top

G0: Black Mounting



**TPLE10-eG0 / LVXV1-2000-
30K / 41 / PT-2-G0**

10in Top Mounted PLE, black exterior,
LVXV1-fixed Lumens(1250, 1500, 1700, or
2000), fixed Kelvins(2700, 3000, 3500,
4000, or 5000), clear glass, black double
pole top mount



LED
1250-2000
Lumens

LED
1250-2000
Lumens

LED
1250-2000
Lumens

Single/Double

**TPLE10-eG0 / LVXV1-2000-30K
/ 41 / PT-1-G0**

10in Top Mounted PLE, black exterior,
LVXV1-fixed Lumens(1250, 1500, 1700, or
2000), fixed Kelvins(2700, 3000, 3500,
4000, or 5000), clear glass, black single
pole top mount



**TPLE10-eG0 / LVXV1-2000-
30K / 41 / PT-2-G0**

10in Top Mounted PLE, black exterior,
LVXV1-fixed Lumens(1250, 1500, 1700, or
2000), fixed Kelvins(2700, 3000, 3500,
4000, or 5000), clear glass, black double
pole top mount



LED
1250-2000
Lumens

LED
1250-2000
Lumens

LED
1250-2000
Lumens

Single/Double

**TPLE10-eG0 / LVXV1-2000-30K
/ 41 / PT-1-G0**

10in Top Mounted PLE, black exterior,
LVXV1-fixed Lumens(1250, 1500, 1700, or
2000), fixed Kelvins(2700, 3000, 3500,
4000, or 5000), clear glass, black single
pole top mount



**TPLE10-eG0 / LVXV1-2000-
30K / 41 / PT-2-G0**

10in Top Mounted PLE, black exterior,
LVXV1-fixed Lumens(1250, 1500, 1700, or
2000), fixed Kelvins(2700, 3000, 3500,
4000, or 5000), clear glass, black double
pole top mount



LED
1250-2000
Lumens

LED
1250-2000
Lumens

LED
1250-2000
Lumens

Single/Double

**TPLE10-eG0 / LVXV1-2000-30K
/ 41 / PT-1-G0**

10in Top Mounted PLE, black exterior,
LVXV1-fixed Lumens(1250, 1500, 1700, or
2000), fixed Kelvins(2700, 3000, 3500,
4000, or 5000), clear glass, black single
pole top mount



**TPLE10-eG0 / LVXV1-2000-
30K / 41 / PT-2-G0**

10in Top Mounted PLE, black exterior,
LVXV1-fixed Lumens(1250, 1500, 1700, or
2000), fixed Kelvins(2700, 3000, 3500,
4000, or 5000), clear glass, black double
pole top mount



LED
1250-2000
Lumens

LED
1250-2000
Lumens

LED
1250-2000
Lumens

bocklighting.com

Pole Top

Single/Double

TPLE10-eG0 / LVXV1-2000-30K / 41 / PT-1-G0

TPLE10: 10in Top PLE eG0: Black Exterior

LVXV1: LED - Fixed Lumens(1250,1500,1700,OR 2000)

41: Clear Jelly Jar PT-1: Single Pole Top

G0: Black Mounting



Link to MED Part Number

MED



LED
1250-2000
Lumens

MED



LED
1250-2000
Lumens

MED



LED
1250-2000
Lumens

Link to LED Part Number



TPLE10-eG0 / LVXV1-2000-30K / 41 / PT-2-G0

10in Top Mounted PLE, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black double pole top mount

MED



LED
1250-2000
Lumens

MED



LED
1250-2000
Lumens

MED



LED
1250-2000
Lumens

Single/Double

TPLE16-eG0 / LVXV1-2000-30K / 41 / PT-1-G0

16in Top Mounted PLE, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black single pole top mount



MED



LED
1500-2400
Lumens

MED



LED
1500-2400
Lumens

MED



LED
1500-2400
Lumens

TPLE16-eG0 / LVXV1-2000-30K / 41 / PT-2-G0

16in Top Mounted PLE, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black double pole top mount

MED



LED
1500-2400
Lumens

MED



LED
1500-2400
Lumens

MED



LED
1500-2400
Lumens

Single/Double

TPLB16-eG0 / LVXV1-2000-30K / 41 / PT-1-G0

16in Top Mounted PLB, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black single pole top mount



MED



LED
1500-2400
Lumens

MED



LED
1500-2400
Lumens

MED



LED
1500-2400
Lumens

TPLB16-eG0 / LVXV1-2000-30K / 41 / PT-2-G0

16in Top Mounted PLB, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black double pole top mount

MED



LED
1500-2400
Lumens

MED



LED
1500-2400
Lumens

MED



LED
1500-2400
Lumens

Single/Double

TPLUNR6-eG0 / LVXV1-2000-30K / 41 / PT-1-G0

6in Top Mounted NR6, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black single pole top mount



MED



LED
1500-2400
Lumens

MED



LED
1500-2400
Lumens

MED



LED
1500-2400
Lumens

TPLUNR6-eG0 / LVXV1-2000-30K / 41 / PT-2-G0

6in Top Mounted NR6, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black double pole top mount

MED



LED
1500-2400
Lumens

MED



LED
1500-2400
Lumens

MED



LED
1500-2400
Lumens

Pole Top

Single/Double

TPLU12-eG0 / LVXV1-2000-30K / 41 / PT-1-G0

TPLU12: 12in Top PLU eG0: Black Exterior

LVXV1: LED - Fixed Lumens(1250,1500,1700,OR 2000)

41: Clear Jelly Jar PT-1: Single Pole Top

G0: Black Mounting



Link to MED Part Number

MED



LED
1500-2400
Lumens

MED



LED
1500-2400
Lumens

MED



LED
1500-2400
Lumens

Link to LED Part Number



TPLU12-eG0 / LVXV1-2000-30K / 41 / PT-2-G0

12in Top Mounted PLU, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black double pole top mount

MED



LED
1500-2400
Lumens

MED



LED
1500-2400
Lumens

MED



LED
1500-2400
Lumens

Single/Double

TPLU14-eG0 / LVXV1-2000-30K / 41 / PT-1-G0

14in Top Mounted PLU, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black single pole top mount



MED



LED
1500-2400
Lumens

MED



LED
1500-2400
Lumens

MED



LED
1500-2400
Lumens

TPLU14-eG0 / LVXV1-2000-30K / 41 / PT-2-G0

14in Top Mounted PLU, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black double pole top mount

MED



LED
1500-2400
Lumens

MED



LED
1500-2400
Lumens

MED



LED
1500-2400
Lumens

Single/Double

TPLU16-eG0 / LVXV1-2000-30K / 41 / PT-1-G0

16in Top Mounted PLU, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black single pole top mount



MED



LED
1500-2400
Lumens

MED



LED
1500-2400
Lumens

MED



LED
1500-2400
Lumens

TPLU16-eG0 / LVXV1-2000-30K / 41 / PT-2-G0

16in Top Mounted PLU, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black double pole top mount

MED



LED
1500-2400
Lumens

MED



LED
1500-2400
Lumens

MED



LED
1500-2400
Lumens

Single/Double

TPLU20-eG0 / LVXV1-2000-30K / 41 / PT-1-G0

20in Top Mounted PLU, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black single pole top mount



MED



LED
1500-2400
Lumens

MED



LED
1500-2400
Lumens

MED



LED
1500-2400
Lumens

TPLU20-eG0 / LVXV1-2000-30K / 41 / PT-2-G0

20in Top Mounted PLU, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black double pole top mount

MED



LED
1500-2400
Lumens

MED



LED
1500-2400
Lumens

MED



LED
1500-2400
Lumens

Pole Top

Single/Double

TPLS12-eG0 / LVXV1-2000-30K / 41 / PT-1-G0

TPLS12: 12in Top PLS eG0: Black Exterior


LVXV1: LED - Fixed Lumens(1250,1500,1700,OR 2000)

41: Clear Jelly Jar PT-1: Single Pole Top


G0: Black Mounting



Link to MED Part Number




Link to LED Part Number



TPLS12-eG0 / LVXV1-2000-30K / 41 / PT-2-G0


12in Top Mounted PLS, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black double pole top mount



Single/Double


TPLS14-eG0 / LVXV1-2000-30K / 41 / PT-1-G0

14in Top Mounted PLS, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black single pole top mount



TPLS14-eG0 / LVXV1-2000-30K / 41 / PT-2-G0


14in Top Mounted PLS, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black double pole top mount



Single/Double


TPLS16-eG0 / LVXV1-2000-30K / 41 / PT-1-G0

16in Top Mounted PLS, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black single pole top mount



TPLS16-eG0 / LVXV1-2000-30K / 41 / PT-2-G0


16in Top Mounted PLS, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black double pole top mount



Single/Double


TPLS20-eG0 / LVXV1-2000-30K / 41 / PT-1-G0

20in Top Mounted PLS, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black single pole top mount



TPLS20-eG0 / LVXV1-2000-30K / 41 / PT-2-G0

20in Top Mounted PLS, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black double pole top mount



Quick Spec

Pole Top

Single/Double

TPDL14-eG0 / LVXV1-2000-30K / 41 / PT-1-G0

TPDL14: 14in Top PDL eG0: Black Exterior

LVXV1: LED - Fixed Lumens(1250,1500,1700,OR 2000)

41: Clear Jelly Jar PT-1: Single Pole Top

G0: Black Mounting



Link to MED Part Number



LED
1250-2000
Lumens

LED
1250-2000
Lumens

LED
1250-2000
Lumens

Link to LED Part Number



LED
1250-2000
Lumens

LED
1250-2000
Lumens

LED
1250-2000
Lumens

TPDL14-eG0 / LVXV1-2000-30K / 41 / PT-2-G0

14in Top Mounted PDL, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black double pole top mount



LED
1250-2000
Lumens

LED
1250-2000
Lumens

LED
1250-2000
Lumens

Single/Double

TPDL16-eG0 / LVXV1-2000-30K / 41 / PT-1-G0

16in Top Mounted PDL, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black single pole top mount



LED
1250-2000
Lumens

LED
1250-2000
Lumens

LED
1250-2000
Lumens

TPDL16-eG0 / LVXV1-2000-30K / 41 / PT-2-G0

16in Top Mounted PDL, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black double pole top mount

Single/Double

TPDL18-eG0 / LVXV1-2000-30K / 41 / PT-1-G0

18in Top Mounted PDL, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black single pole top mount



LED
1250-2000
Lumens

LED
1250-2000
Lumens

LED
1250-2000
Lumens

TPDL18-eG0 / LVXV1-2000-30K / 41 / PT-2-G0

18in Top Mounted PDL, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black double pole top mount

Single/Double

TPDL24-eG0 / LVXV1-2000-30K / 41 / PT-1-G0

24in Top Mounted PDL, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black single pole top mount



LED
1250-2000
Lumens

LED
1250-2000
Lumens

LED
1250-2000
Lumens

TPDL24-eG0 / LVXV1-2000-30K / 41 / PT-2-G0

24in Top Mounted PDL, black exterior, LVXV1-fixed Lumens(1250, 1500, 1700, or 2000), fixed Kelvins(2700, 3000, 3500, 4000, or 5000), clear glass, black double pole top mount

Quick Spec

Finishes

Standard Finishes

At Bock Lighting, our standard powder coat colors come at no extra charge. You have the option to customize the exterior, interior, and components with different color combinations. Additionally, we offer various custom finishes at a minor adder. No set up fees. Samples for all colors are available upon request.



G0
Black



G1
White



G2
Red



G3
Yellow




G4
Blue



G5
Green



G6
Brown



G7
Verdigris



G8
Dark Bronze



G9
Silvadillo



G10
Dark Green



G11
Copper



G12
Brushed Aluminum



G14
Gun Metal



G15
Rust




G16
Silver Wrinkle



G17
Architectural Bronze



G18
Rock Garden Green



G20
Silver Cast



G21
Hammered Copper



G22
Dark Platinum



G24
Orange



G25
Navy Blue



G27
Matte Black



G28
Sun Gold



G29
Brilliant Blue



G30
Glossy Black



G50
Neon Orange



G51
Neon Pink



G52
Neon Yellow



G53
Neon Lime Green

NEW Standard Finishes - Earth Palette

These warm muted colors are inspired by the Earth's natural hues! This new standard palette conveys warmth and comfort. Perfect for your next design project, these Earth tones can be used in rustic & traditional projects but can also be integrated into modern & minimalist designs!



G41
Sand



G42
Pastel Blue



G43
Pale Green



G44
Oxblood



G45
Emerald

Cords



CBK
Standard - Black



CWH
Standard - White



CSL
Standard - Clear



CCMC
Mixed 24



CCBK
Black



CCBW1
1 Black/White




CCBW
Black & White Cross



CCBY
Black/Yellow



CCBB
Blue/Black



CCBR
Brass



CCBP
Bright Pink




CCBO
Brown



CCCO
Coffee



CCFG
Forrest Green



CCGO
Gold



CCGR
Green



CCGBB
Green Blue Brown Mix



CCGE
Grey



CCLB
Light Blue



CCLG
Lime Green



CCNY
Neon Yellow



CCOG
Olive Green



CCOR
Orange



CCPP
Pastel Pink



CCPR
Pastel Purple



CCPU
Pastel Purple



CCRD
Red



CCRB
Royal Blue



CCTR
Turquoise



CWH
White



CCWB
White & Black Cross



CCWR
Wine Red



CCYE
Yellow



BOCK LIGHTING CLASSICS

QUICK SPEC GUIDE

2024

Contact us

216-912-7050
sales@bocklighting.com
bocklighting.com

