


Downlight Reflector - Stem Mounted



A Series

Downlight Reflector:

Code	Name	Wattage
914DL	14" Downlight Reflector	300
916DL	16" Downlight Reflector	300
918DL	18" Downlight Reflector	300
924DL	24" Downlight Reflector	300

BAA/BABA: Please add either BAA or BABA to end of part number if job requires.

B Finish

iGXX for Interior, eGXX for Exterior

Powder Coat Finishes:

Code	Name
GXX	To be determined.
G0	Black
G1	White
G2	Red
G4	Blue
G5	Green
G6	Brown
G8	Dark Bronze
G9	Silver
G10	Dark Green
G12	Brushed Aluminum
G16	Silver Wrinkle
G27	Matte Black
G28	Sun Gold
G41	Sand

Code	Name
G42	Pastel Blue
G43	Pale Green
G44	Oxblood
G45	Emerald

LAC02, LAH01 kelvin is field adjustable - 30,35,40,50K

C Lamp Type

Sockets:

Code	Name
MED5	E26 Medium Base Socket

Adjustable LED Lumens & Kelvin Module - Indoor/Outdoor:

Code	Name
LAC02	LAC02 1500-2400LM, 30-50K, 23W, 80CRI
LAC03	LAC03 1650-2750LM, 27-50K, 23W, 90CRI
LAH01	LAH01 3000-5000LM, 27-50K, 43W, 80CRI
LAH02	LAH02 3300-5250LM, 27-50K, 43W, 90CRI

LVFV1 - Indoor/Outdoor:

Code	Name
LVFV1-1250-XXK	LVFV1 - 1250LM (10W)
LVFV1-1500-XXK	LVFV1 - 1500LM (12W)
LVFV1-1700-XXK	LVFV1 - 1700LM (14W)
LVFV1-2000-XXK	LVFV1 - 2000LM (17W)

D Canopy

Stem Canopy:



Code	Name
640-50	Canopy kit for 1/2" Rigid Stem
640-75	Canopy kit for 3/4" Rigid Stem
642-50	Aligner Canopy Kit for 1/2" Swivel Stem
642-75	Aligner Canopy Kit for 3/4" Swivel Stem
SC-PLATE-75	Die Cast Canopy for 3/4" Rigid Stem
SC-PLATE-75-OB	Die Cast Canopy and Outlet Box for 3/4" Rigid Stem

E Stem Finishes

See B


F Cord Finish

Cords:

Code	Name
CBK	Standard Cord Black
CWH	Standard Cord White
CSL	Standard Cord Silicone

Downlight Reflector - Stem Mounted

Fixture Size Option




Standard Color Option




Downlight Reflector - Stem Mounted

Canopy



640-50 - 1/2" NPT CANOPY



640-75 - 3/4" NPT CANOPY

Stem Length Option

