


Oversized Shades - Stem Mounted



Oversized Shades:

- SN540
- 40" Step Neck Dome
- BA36
- Oversized RLM - BA Style 36in
- SN536
- 36" Step Neck Dome
- BB24
- Oversized RLM - BB Style 24in
- BB36
- Oversized RLM - BB Style 36in
- BA42

- Oversized RLM - BA Style 42in
- 930DL
- 30" Downlight Reflector
- 938DL
- 38" Downlight Reflector

A Series

B Finish

iGXX for Interior, eGXX for Exterior

Powder Coat Finishes:

Code	Name
GXX	To be determined.
G0	Black
G1	White
G2	Red
G4	Blue
G5	Green
G6	Brown
G8	Dark Bronze
G9	Silver
G10	Dark Green

Code	Name
G12	Brushed Aluminum
G16	Silver Wrinkle
G27	Matte Black
G28	Sun Gold
G41	Sand
G42	Pastel Blue
G43	Pale Green
G44	Oxblood
G45	Emerald

LAC02, LAH01 kelvin is field adjustable - 30,35,40,50K

C Lamp Type

Sockets:

Code	Name
MED5	E26 Medium Base Socket

Adjustable LED Lumens & Kelvin Module - Indoor/Outdoor:

Code	Name
LAC02	LAC02 1500-2400LM, 30-50K, 23W, 80CRI
LAC03	LAC03 1650-2750LM, 27-50K, 23W, 90CRI
LAH01	LAH01
LAH02	LAH02 3300-5250LM, 27-50K, 43W, 90CRI

LVFV1 - Indoor/Outdoor:

Code	Name
LVFV1-1250-XXX	LVFV1 - 1250LM (10W)
LVFV1-1500-XXX	LVFV1 - 1500LM (12W)
LVFV1-1700-XXX	
LVFV1-2000-XXX	

Oversized Shades - Stem Mounted

D

Canopy

E

Stem Finishes

F

Cord Finish

Code

Name

640-50

Canopy kit for 1/2" Rigid Stem

640-75

Canopy kit for 3/4" Rigid Stem

642-50

Aligner Canopy Kit for 1/2" Swivel Stem

642-75

Aligner Canopy Kit for 3/4" Swivel Stem

Code

Name

CBK

Standard Cord Black

CWH

Standard Cord White


CSL

Standard Cord Silicone

See B

Cords:

Fixture Size Option




Standard Color Option




Oversized Shades - Stem Mounted

Canopy Option




640-50 - 1/2" NPT CANOPY



640-75 - 3/4" NPT CANOPY

Stem Length Option



ST3
3/4" - 14 NPT
1.05" DIA
ST3-XX

ST2
1/2" - 14 NPT
0.84" DIA
ST2-XX