

# Step Neck Dome - Gooseneck Mounted



## A Series

### Step Neck Dome:

| Code  | Name               | Wattage |
|-------|--------------------|---------|
| SN512 | 12" Step Neck Dome |         |
| SN514 | 14" Step Neck Dome |         |
| SN516 | 16" Step Neck Dome |         |
| SN518 | 18" Step Neck Dome |         |
| SN520 | 20" Step Neck Dome |         |
| SN524 | 24" Step Neck Dome |         |

## B Finish

IGXX for Interior, eGXX for Exterior

### Powder Coat Finishes:

| Code | Name              |
|------|-------------------|
| GXX  | To be determined. |
| G0   | Black             |
| G1   | White             |
| G2   | Red               |
| G4   | Blue              |
| G5   | Green             |
| G6   | Brown             |
| G8   | Dark Bronze       |
| G9   | Silver            |
| G10  | Dark Green        |
| G12  | Brushed Aluminum  |
| G16  | Silver Wrinkle    |
| G27  | Matte Black       |
| G28  | Sun Gold          |
| G41  | Sand              |
| G42  | Pastel Blue       |
| G43  | Pale Green        |
| G44  | Oxblood           |
| G45  | Emerald           |

LAC02, LAH01 kelvin is field adjustable - 30,35,40,50K


## C Lamp Type

### Sockets:



| Code | Name                   |
|------|------------------------|
| MED5 | E26 Medium Base Socket |

### Adjustable LED Lumens & Kelvin Module - Indoor/Outdoor:



| Code  | Name                                  |
|-------|---------------------------------------|
| LAC02 | LAC02 1500-2400LM, 30-50K, 23W, 80CRI |
| LAC03 | LAC03 1650-2750LM, 27-50K, 23W, 90CRI |
| LAH01 | LAH01 3000-5000LM, 27-50K, 43W, 80CRI |
| LAH02 | LAH02 3300-5250LM, 27-50K, 43W, 90CRI |

## D Gooseneck

### Gooseneck Top - Top Mounted:



| Code  | Name                  |
|-------|-----------------------|
| GN23A | 23" Style A Gooseneck |
| GN10K | 10" Style K Gooseneck |
| GN15H | 15" Style H Gooseneck |
| GN17A | 17" Style A Gooseneck |
| GN22H | 22" Style H Gooseneck |
| GN24D | 24" Style D Gooseneck |
| GN25J | 25" Style J Gooseneck |
| GN30C | 30" Style C Gooseneck |
| GN32G | 32" Style G Gooseneck |
| GN37U | 37" Style U Gooseneck |
| GN40E | 40" Style E Gooseneck |
| GN48B | 48" Style B Gooseneck |
| GN56F | 56" Style F Gooseneck |

## E Gooseneck Finish

See B

## F Jelly Jar

### 41 Glass Jelly Jar in RLMs:



# Step Neck Dome - Gooseneck Mounted

| Code      | Name                         |
|-----------|------------------------------|
| 41        | 41 - Clear for RLM           |
| 41-Pontil | 41 Pontil Glass Lens for RLM |
| 41F       | 41 Frost for RLM             |
| 41PR      | 41 Prismatic for RLM         |
| 41S       | 41S Short Clear for RLM      |
| 41SF      | 41 Short Frosted for RLM     |
| 41SP      | 41SP Short Prismatic for RLM |

## 42 Glass Jelly Jar in RLMs:



| Code | Name                 |
|------|----------------------|
| 42   | 42 Clear for RLM     |
| 42F  | 42 Frosted for RLM   |
| 42PR | 42 Prismatic for RLM |

## G Guards

### Globe Guards:



| Code  | Name                         |
|-------|------------------------------|
| 31DCG | 31DCG                        |
| 31WG  | 31 Wire Guard for Vaportight |
| 32DCG | 32DCG                        |
| 32WG  | 32 Wire Guard for 42 Glass   |


## H Wire Guard

### Wire Guards:



| Code  | Name           |
|-------|----------------|
| 4GR14 | 14in Wireguard |
| 4GR16 | 16in Wireguard |
| 4GR18 | 18in Wireguard |
| 4GR24 | 24in Wireguard |
| 108AR | 8in Wireguard  |
| 110AR | 10in Wireguard |
| 112AR | 12in Wireguard |
| 113AR | 13in Wireguard |
| 114AR | 14in Wireguard |
| 115AR | 15in Wireguard |
| 116AR | 16in Wireguard |
| 118AR | 18in Wireguard |
| 120AR | 20in Wireguard |

## Fixture Size Options



## Standard Finish Options

## Step Neck Dome - Gooseneck Mounted



## Gooseneck Options

