

Step Neck Angle - Cord Mounted



A Series

Step Neck Angle:

Code	Name
SN608	8" Step Neck Angle
SN610	10" Step Neck Angle
SN612	12" Step Neck Angle
SN614	14" Step Neck Angle

BAA/BABA: Please add either BAA or BABA to end of part number if job requires.

B Finish

iGXX for Interior, eGXX for Exterior

Powder Coat Finishes:

Code	Name
GXX	To be determined.
G0	Black
G1	White
G2	Red
G4	Blue
G5	Green
G6	Brown
G8	Dark Bronze
G9	Silver
G10	Dark Green
G12	Brushed Aluminum
G16	Silver Wrinkle
G27	Matte Black
G28	Sun Gold
G41	Sand
G42	Pastel Blue
G43	Pale Green
G44	Oxblood
G45	Emerald

LAC02, LAH01 kelvin is field adjustable - 30,35,40,50K


C Lamp Type

Sockets:



Code	Name
MED5	E26 Medium Base Socket

Adjustable LED Lumens & Kelvin Module - Indoor/Outdoor:



Code	Name
LAC02	LAC02 1500-2400LM, 30-50K, 23W, 80CRI
LAC03	LAC03 1650-2750LM, 27-50K, 23W, 90CRI
LAH01	LAH01 3000-5000LM, 27-50K, 43W, 80CRI
LAH02	LAH02 3300-5250LM, 27-50K, 43W, 90CRI

LVFV1 - Indoor/Outdoor:



Code	Name
LVFV1-1250-XXK	LVFV1 - 1250LM (10W)
LVFV1-1500-XXK	LVFV1 - 1500LM (12W)
LVFV1-1700-XXK	LVFV1 - 1700LM (14W)
LVFV1-2000-XXK	LVFV1 - 2000LM (17W)

D Cord

Covert Cord Canopy:



Code	Name
630C-10FT	Covert Canopy + Cord 10ft
630C-20FT	Covert Canopy + Cord 20ft

E Cord Canopy Finish

See B


F Cord Finish

Cords:

Step Neck Angle - Cord Mounted

Code	Name	Code	Name	Code	Name
CBK	Standard Cord Black	CWH	Standard Cord White	CSL	Standard Cord Silicone

Fixture Size Option




Standard Color Option



Canopy

Step Neck Angle - Cord Mounted



Cord Option

