

GALVANIZED: STEP NECK DEEP BOWL / DOWNLIGHT

Galvanized Reflectors



- A REFLECTOR
- B LAMP TYPE
- C MOUNTING
- D LENS
- E CAST GUARD
- F WIRE GUARD

A REFLECTOR

SN908GV 8" Galvanized Step Neck Deep Bowl

SN910GV 10" Galvanized Step Neck Deep Bowl

SN912GV 12" Galvanized Step Neck Deep Bowl

918DLGV 18" Galvanized Downlight Reflector

918ULGV 18" Galvanized Uplight Reflector

GALVANIZED: STEP NECK DEEP BOWL / DOWNLIGHT

Galvanized Reflectors

B LAMP TYPE

Sockets



MED5 E26 Medium Base Socket



GU24 GU24 Socket



GX24Q GX24Q Socket

LVEV1

LED: Bridgelux Vero, Available with either 27/30/35/40K Driver: ERP PSB Series, 120/277V, 0-10V Dimming



LVEV1-1700-XXK LVEV - 1700LMm, 14W

LVEV1-2000-XXK LVEV - 2000LM, 16W

LVEV1-2500-XXK LVEV - 2500LM, 21W

LVEV1-3000-XXK LVEV - 3000LM, 26W

LVEV1-4000-XXK LVEV - 4000LM, 36W

LVFV1

LED: Bridgelux Vero, Available with either 27/30/35/40K Driver: ERP PSB Series, 120/277V, 0-10V Dimming



LVFV1-1250-XXK LVFV1 - 1250LM, 10W, Indoor

LVFV1-1500-XXK LVFV1 - 1500LM, 12W, Indoor

LVFV1-1700-XXK LVFV1 - 1700LM, 14W, Indoor

LVFV1-2000-XXK LVFV1 - 2000LM, 16W, Indoor

LVXV1

LED: Bridgelux Vero, Available with either 27/30/35/40K Driver: ERP PSB Series, 120/277V, 0-10V Dimming



LVXV1-1250-XXK LVXV1 - 1250LM, 10W, Outdoor/Indoor




LVXV1-1500-XXK LVXV1 - 1500LM, 12W, Outdoor/Indoor

LVXV1-1700-XXK LVXV1 - 1700LM, 14W, Outdoor/Indoor

LVXV1-2000-XXK LVXV1 - 2000LM, 16W, Outdoor/Indoor

GALVANIZED: STEP NECK DEEP BOWL / DOWNLIGHT

Galvanized Reflectors

<p>LBAC1-1 - Indoor Only <i>LED: 1 x Cree CMA25, Available with either 27/30/35/40K Driver: ERP PSB Series, 120/277V, 0-10V Dimming</i></p>									
<table border="0"> <tr> <td data-bbox="76 398 443 492"> <p>LBAC1-1-1600-XXK LBAC1 - Single Module, 1600LM, 15W</p> </td> <td data-bbox="443 398 810 492"> <p>LBAC1-1-1800-XXK LBAC1 - Single Module, 1800LM, 17W</p> </td> <td data-bbox="810 398 1177 492"> <p>LBAC1-1-2000-XXK LBAC1 - Single Module, 2000LM, 18W</p> </td> <td data-bbox="1177 398 1540 492"> <p>LBAC1-1-2500-XXK LBAC1 - Single Module, 2500LM, 23W</p> </td> </tr> <tr> <td data-bbox="76 526 443 620"> <p>LBAC1-1-3000-XXK LBAC1 - Single Module, 3000LM, 27W</p> </td> <td data-bbox="443 526 810 620"> <p>LBAC1-1-4000-XXK LBAC1 - Single Module, 4000LM, 36W</p> </td> <td data-bbox="810 526 1177 620"> <p>LBAC1-1-5000-XXK LBAC1 - Single Module, 5000LM, 45W</p> </td> <td></td> </tr> </table>	<p>LBAC1-1-1600-XXK LBAC1 - Single Module, 1600LM, 15W</p>	<p>LBAC1-1-1800-XXK LBAC1 - Single Module, 1800LM, 17W</p>	<p>LBAC1-1-2000-XXK LBAC1 - Single Module, 2000LM, 18W</p>	<p>LBAC1-1-2500-XXK LBAC1 - Single Module, 2500LM, 23W</p>	<p>LBAC1-1-3000-XXK LBAC1 - Single Module, 3000LM, 27W</p>	<p>LBAC1-1-4000-XXK LBAC1 - Single Module, 4000LM, 36W</p>	<p>LBAC1-1-5000-XXK LBAC1 - Single Module, 5000LM, 45W</p>		
<p>LBAC1-1-1600-XXK LBAC1 - Single Module, 1600LM, 15W</p>	<p>LBAC1-1-1800-XXK LBAC1 - Single Module, 1800LM, 17W</p>	<p>LBAC1-1-2000-XXK LBAC1 - Single Module, 2000LM, 18W</p>	<p>LBAC1-1-2500-XXK LBAC1 - Single Module, 2500LM, 23W</p>						
<p>LBAC1-1-3000-XXK LBAC1 - Single Module, 3000LM, 27W</p>	<p>LBAC1-1-4000-XXK LBAC1 - Single Module, 4000LM, 36W</p>	<p>LBAC1-1-5000-XXK LBAC1 - Single Module, 5000LM, 45W</p>							
<p>LBAC1-2 - Indoor Only <i>LED: 2 x Cree CMA25, Available with either 27/30/35/40K Driver: ERP PSB Series, 120/277V, 0-10V Dimming</i></p>									
<table border="0"> <tr> <td data-bbox="76 862 443 929"> <p>LBAC1-2-1600-XXK LBAC1 - Dual Module, 3200LM, 30W</p> </td> <td data-bbox="443 862 810 929"> <p>LBAC1-2-1800-XXK LBAC1 - Dual Module, 3600LM, 34W</p> </td> <td data-bbox="810 862 1177 929"> <p>LBAC1-2-2000-XXK LBAC1 - Dual Module, 4000LM, 36W</p> </td> <td data-bbox="1177 862 1540 929"> <p>LBAC1-2-2500-XXK LBAC1 - Dual Module, 5000LM, 46W</p> </td> </tr> <tr> <td data-bbox="76 963 443 1030"> <p>LBAC1-2-3000-XXK LBAC1 - Dual Module, 6000LM, 54W</p> </td> <td data-bbox="443 963 810 1030"> <p>LBAC1-2-4000-XXK LBAC1 - Dual Module, 8,000LM, 72W</p> </td> <td data-bbox="810 963 1177 1030"> <p>LBAC1-2-5000-XXK LBAC1 - Dual Module, 10,000LM, 90W</p> </td> <td></td> </tr> </table>	<p>LBAC1-2-1600-XXK LBAC1 - Dual Module, 3200LM, 30W</p>	<p>LBAC1-2-1800-XXK LBAC1 - Dual Module, 3600LM, 34W</p>	<p>LBAC1-2-2000-XXK LBAC1 - Dual Module, 4000LM, 36W</p>	<p>LBAC1-2-2500-XXK LBAC1 - Dual Module, 5000LM, 46W</p>	<p>LBAC1-2-3000-XXK LBAC1 - Dual Module, 6000LM, 54W</p>	<p>LBAC1-2-4000-XXK LBAC1 - Dual Module, 8,000LM, 72W</p>	<p>LBAC1-2-5000-XXK LBAC1 - Dual Module, 10,000LM, 90W</p>		
<p>LBAC1-2-1600-XXK LBAC1 - Dual Module, 3200LM, 30W</p>	<p>LBAC1-2-1800-XXK LBAC1 - Dual Module, 3600LM, 34W</p>	<p>LBAC1-2-2000-XXK LBAC1 - Dual Module, 4000LM, 36W</p>	<p>LBAC1-2-2500-XXK LBAC1 - Dual Module, 5000LM, 46W</p>						
<p>LBAC1-2-3000-XXK LBAC1 - Dual Module, 6000LM, 54W</p>	<p>LBAC1-2-4000-XXK LBAC1 - Dual Module, 8,000LM, 72W</p>	<p>LBAC1-2-5000-XXK LBAC1 - Dual Module, 10,000LM, 90W</p>							
<p>Triple Tube Compact Fluorescent <i>Available with either 27/35/41K, Electronic Ballast, 120-277V.</i></p>									
<table border="0"> <tr> <td data-bbox="76 1299 443 1366"> <p>GXT26-XXK 26W CFL, XXK, UNV</p> </td> <td data-bbox="443 1299 810 1366"> <p>GXT32-XXK 32W CFL, XXK, UNV</p> </td> <td data-bbox="810 1299 1540 1366"> <p>GXT42-XXK 42W CFL, XXK, UNV</p> </td> </tr> </table>	<p>GXT26-XXK 26W CFL, XXK, UNV</p>	<p>GXT32-XXK 32W CFL, XXK, UNV</p>	<p>GXT42-XXK 42W CFL, XXK, UNV</p>						
<p>GXT26-XXK 26W CFL, XXK, UNV</p>	<p>GXT32-XXK 32W CFL, XXK, UNV</p>	<p>GXT42-XXK 42W CFL, XXK, UNV</p>							

GALVANIZED: STEP NECK DEEP BOWL / DOWNLIGHT

Galvanized Reflectors



MOUNTING

BDC - Small Ceiling Driver Enclosure

Small Driver Enclosure Canopy for LED modules with small form drivers. Will work with a max of 2 PSB Drivers or 1 Lutron driver. 30W Max per driver. Accepts cord, 1/2-NPT stem, 3/4-NPT stem, single aircraft cable, or three aircraft cables. **Dimensions:** OD 5.5in x 2in



BDC6C-10FT BDC Style Driver Enclosure with 10ft Cord

BDC6C-20FT BDC Style Driver Enclosure with 20ft Cord

BDC6S-75 BDC Style Driver Enclosure for 3/4-NPT Stem

BDC6S-50 BDC Style Driver Enclosure for 1/2-NPT Stem

BDC6C1A-10FT BDC Style Driver Enclosure with 1 Aircraft Cable & 10ft Cord.

BDC6C1A-20FT BDC Style Driver Enclosure with 1 Aircraft Cable & 20ft Cord.

BDC6C3A-10FT BDC Style Driver Enclosure with 3 Aircraft Cable & 10ft Cord.















BDC6C3A-20FT BDC Style Driver Enclosure with 3 Aircraft Cable & 20ft Cord.

GALVANIZED: STEP NECK DEEP BOWL / DOWNLIGHT

Galvanized Reflectors


Gooseneck Top - Top Mounted



Goosenecks are made from 3/4 Schedule 40 aluminum and threaded 3/4-NPT. Comes with die cast aluminum back plate that mounts to 4in Octagon box with 3.5in spacing. Custom Goosenecks can be found online or by providing a sketch.

<p>GN23A 23" Style A Gooseneck</p> 	<p>GN17A Gooseneck Style A - 17in</p> 	<p>GN48B 48" Style B Gooseneck</p> 	<p>GN30C 30" Style C Gooseneck</p> 
<p>GN24D 24" Style D Gooseneck</p> 	<p>GN40E 40" Style E Gooseneck</p> 	<p>GN56F 56" Style F Gooseneck</p> 	<p>GN32G 32" Style G Gooseneck</p> 
<p>GN22H 22" Style H Gooseneck</p> 	<p>GN25J 25" Style J Gooseneck</p> 	<p>GN10K 10" Style K Gooseneck</p> 	<p>GN41P 41" Style P Gooseneck</p> 
<p>GN37U 37" Style U Gooseneck</p> 	<p>GN10U Gooseneck - Style U - 10in</p> 		

GALVANIZED: STEP NECK DEEP BOWL / DOWNLIGHT

Galvanized Reflectors

Stem Mounting			
640-75 Canopy kit for 3/4" Rigid Stem	640-50 Canopy kit for 1/2" Rigid Stem	642-75 Aligner Canopy Kit for 3/4" Swivel Stem	642-50 Aligner Canopy Kit for 1/2" Swivel Stem
ST3-6 6" Stem 3/4"	ST3-12 12" Stem 3/4"	ST3-18 18" Stem 3/4"	ST3-24 24" Stem 3/4"
ST3-36 36" Stem 3/4"	ST3-48 48" Stem 3/4"	ST3-60 60" Stem 3/4"	ST3-72 72" Stem 3/4"
ST3-96 96" Stem 3/4"	ST2-6 6" Stem 1/2"	ST2-12 12" Stem 1/2"	ST2-18 18" Stem 1/2"
ST2-24 24" Stem 1/2"	ST2-36 36" Stem 1/2"	ST2-48 48" Stem 1/2"	ST2-60 60" Stem 1/2"
ST2-72 72" Stem 1/2"	ST2-96 96" Stem 1/2"		

Cord Mounting			
643-10FT Cord Canopy, 10ft.	643-20FT Cord Canopy, 20ft.	643HD-10FT Heavy Duty Cord Canopy, 10ft.	643HD-20FT Heavy Duty Cord Canopy, 20ft.
503-10FT Cord Canopy with 3 Aircraft Cables, 10ft	503-20FT Cord Canopy with 3 Aircraft Cables, 20ft	<p>649-10FT-WH Basic Economical White Cord & Canopy Setup, 10FT</p> <p>Basic Economical Cord, Socket & Canopy assembly for RLMs in indoor applications.</p> <p>Cord: 10ft White 3C, 120V</p> <p>Canopy: Mounts to 4in Octagon jBox</p> 	<p>649-10FT-BK Basic Economical Black Cord & Canopy Setup, 10FT</p> <p>Basic Economical Cord, Socket & Canopy assembly for RLMs in indoor applications.</p> <p>Cord: 10ft Black 3C, 120V</p> <p>Canopy: Mounts to 4in Octagon jBox</p> 

Cords

GALVANIZED: STEP NECK DEEP BOWL / DOWNLIGHT

Galvanized Reflectors



CBK

Standard Black Silicone Cord, 10FT



CWH

Standard White Silicone Cord, 10FT



CSL

Silicone Sleeve Cord, 10FT



CCRD

Red Cloth Cord, 10FT



CCBP

Bright Pink Cloth Cord, 10FT



CCOR

Orange Cloth Cord, 10FT



CCRB

Royal Blue Cloth Cord, 10FT



CCLB

Light Blue Cloth Cord, 10FT



CCLG

Lime Green Cloth Cord, 10FT



CCFG

Forest Green Cloth Cord, 10FT



CCBK

Black Cloth Cord, 10FT



CCWH

White Cloth Cord, 10FT



CCGBB

Green Blue Brown Mix Cloth Cord, 10FT



CCBW1

Black White 1 Cloth Cord, 10FT

GALVANIZED: STEP NECK DEEP BOWL / DOWNLIGHT

Galvanized Reflectors

D

LENS

41 Glass Jelly Jar



41 41 - Clear



41CAM 41 Amber



41CBL 41 Blue



41CGN 41 Green



41COP 41 Opal



41CRD 41 Red



41F 41 Frost



41PR 41 Prismatic



41S 41S - Clear Short



41SF 41SF - Frost Short

41SPR 41 Short - Prismatic

41 Lexan



41L 41 Lexan Clear



41LCAM 41 Lexan Amber



41LCBL 41 Lexan Blue



41LCGN 41 Lexan Green



41LCOP 41 Lexan Opal



41LCRD 41 Lexan Red



41LPR 41 Lexan Prismatic

GALVANIZED: STEP NECK DEEP BOWL / DOWNLIGHT

Galvanized Reflectors

42 Glass Jelly Jar



42 42 Clear

Max: INC - 300W, HID - 175W, CFL - 42W



42CAM 42 Amber

Max: INC - 200W, HID - 175W, CFL - 42W



42CBL 42 Blue

Max: INC - 200W, HID - 175W, CFL - 42W



42CGN 42 Green

Max: INC - 200W, HID - 175W, CFL - 42W



42COP 42 Opal

Max: INC - 200W, HID - 175W, CFL - 42W



42CRD 42 Red

Max: INC - 200W, HID - 175W, CFL - 42W



42PR 42 Prismatic

Max: INC - 300W, HID - 175W, CFL - 42W

GALVANIZED: STEP NECK DEEP BOWL / DOWNLIGHT

Galvanized Reflectors

42 Lexan



42L 42 Lexan Clear



42L-CAM 42 Lexan Amber



42LCBL 42 Lexan Blue



42LCGN 42 Lexan Green



42LCOP 42 Lexan Opal



42LCRD 42 Lexan Red



42LPR 42 Lexan Prismatic

E CAST GUARD

Guard



31DCG 31DCG

32DCG 32DCG

31 31 Wire Guard for 41 Glass

32 32 Wire Guard for 42 Glass

F WIRE GUARD

Wire Guard



108AR 108AR

110AR 110AR

112AR 112AR

118AR 118AR