

PLS

Metro Series



A

REFLECTOR

B

FINISH

C

LAMP TYPE

D

MOUNTING

E

LENS

A

REFLECTOR

TPLS12 12" Top Mounted Metro

TPLS14 14" Top Mounted Metro PLS

TPLS16 16" Top Mounted Metro

TPLS20 20" Top Mounted Metro

TPLSNR No Reflector Top Mounted Metro

WPLS12 12" Wall Mounted Metro

WPLS16 16" Wall Mounted Metro

WPLS20 20" Wall Mounted Metro

WPLSNR No Reflector Wall Mounted Metro

WPLS14 14" Wall Mounted Metro PLS

PLS

Metro Series

B FINISH

Powder Coat Finishes

 GXX To be determined.	 G0 Black	 G1 White	 G2 Red	 G3 Yellow	 G4 Blue	 G5 Green	 G6 Brown	 G7 Verdigris
 G8 Dark Bronze	 G9 Silver	 G10 Dark Green	 G11 Copper	 G12 Brushed Aluminum	 G13 Tan	 G14 Gunmetal	 G15 Rust	 G16 Silver Wrinkle
 G17 Architectural Bronze	 G18 Rock Garden Green	 G20 Silver Cast	 G21 Hammered Copper	 G22 Dark Platinum	 G23 Silver Camera	 G24 Orange	 G25 Navy Blue	 G26 Chrome
 G27 Matte Black	 G28 Sun Gold	 G29 Brilliant Blue	 G30 Mirror Black	 G50 Neon Orange	 G51 Neon Pink	 G52 Neon Yellow	 G53 Lime Green Neon	

PLS

Metro Series



LAMP TYPE

Sockets



MED5 E26 Medium Base Socket



GU24 GU24 Socket



GX24Q GX24Q Socket

LVEV1

LED: Bridgelux Vero, Available with either 27/30/35/40K Driver: ERP PSB Series, 120/277V, 0-10V Dimming



LVEV1-1700-XXK LVEV - 1700LMm, 14W

LVEV1-2000-XXK LVEV - 2000LM, 16W

LVEV1-2500-XXK LVEV - 2500LM, 21W

LVEV1-3000-XXK LVEV - 3000LM, 26W

LVEV1-4000-XXK LVEV - 4000LM, 36W

LVXV1

LED: Bridgelux Vero, Available with either 27/30/35/40K Driver: ERP PSB Series, 120/277V, 0-10V Dimming



LVXV1-1250-XXK LVXV1 - 1250LM, 10W, Outdoor/Indoor

LVXV1-1500-XXK LVXV1 - 1500LM, 12W, Outdoor/Indoor

LVXV1-1700-XXK LVXV1 - 1700LM, 14W, Outdoor/Indoor

LVXV1-2000-XXK LVXV1 - 2000LM, 16W, Outdoor/Indoor






LVET - Turtle Safe LED

LED: Bock Turtle LED, 1500LM, 590nm Driver: ERP PSB Series, 120/277V, 0-10V Dimming



LVET-20W-UNV 20W Turtle Safe LED, Universal Voltage

D MOUNTING















<p>BCW Style</p>			
			
<p>BCW5 7in - SC Gooseneck Ballast Box</p>	<p>BCW6 6in - SC Gooseneck Ballast Box</p>	<p>BCW7 Discontinued - 7in - SC Gooseneck Ballast Box</p>	
<p>BDC - Small Ceiling Driver Enclosure</p> <p><i>Small Driver Enclosure Canopy for LED modules with small form drivers. Will work with a max of 2 PSB Drivers or 1 Lutron driver. 30W Max per driver. Accepts cord, 1/2-NPT stem, 3/4-NPT stem, single aircraft cable, or three aircraft cables. Dimensions: OD 5.5in x 2in</i></p>			
<p>BDC6C-10FT BDC Style Driver Enclosure with 10ft Cord</p>	<p>BDC6C-20FT BDC Style Driver Enclosure with 20ft Cord</p>	<p>BDC6S-75 BDC Style Driver Enclosure for 3/4-NPT Stem</p>	<p>BDC6S-50 BDC Style Driver Enclosure for 1/2-NPT Stem</p>
<p>BDC6C1A-10FT BDC Style Driver Enclosure with 1 Aircraft Cable & 10ft Cord.</p>	<p>BDC6C1A-20FT BDC Style Driver Enclosure with 1 Aircraft Cable & 20ft Cord.</p>	<p>BDC6C3A-10FT BDC Style Driver Enclosure with 3 Aircraft Cable & 10ft Cord.</p>	<p>BDC6C3A-20FT BDC Style Driver Enclosure with 3 Aircraft Cable & 20ft Cord.</p>

PLS

Metro Series

Gooseneck Top - Top Mounted

Goosenecks are made from 3/4 Schedule 40 aluminum and threaded 3/4-NPT. Comes with die cast aluminum back plate that mounts to 4in Octagon box with 3.5in spacing. Custom Goosenecks can be found online or by providing a sketch.

<p>GN23A 23" Style A Gooseneck</p> 	<p>GN17A Gooseneck Style A - 17in</p> 	<p>GN48B 48" Style B Gooseneck</p> 	<p>GN30C 30" Style C Gooseneck</p> 
<p>GN24D 24" Style D Gooseneck</p> 	<p>GN40E 40" Style E Gooseneck</p> 	<p>GN56F 56" Style F Gooseneck</p> 	<p>GN32G 32" Style G Gooseneck</p> 
<p>GN22H 22" Style H Gooseneck</p> 	<p>GN25J 25" Style J Gooseneck</p> 	<p>GN10K 10" Style K Gooseneck</p> 	<p>GN41P 41" Style P Gooseneck</p> 
<p>GN37U 37" Style U Gooseneck</p> 	<p>GN10U Gooseneck - Style U - 10in</p> 		

PLS

Metro Series

Gooseneck Side - Side Mounted

GN8I 8" Style I
Gooseneck

GN10I 10" Style I
Gooseneck

GN12I 12" Style I
Gooseneck

GN14I 14" Style I
Gooseneck

GN18I 18" Style I
Gooseneck

Stem Mounting



640-75 Canopy kit for 3/4"
Rigid Stem

640-50 Canopy kit for 1/2"
Rigid Stem

642-75 Aligner Canopy Kit
for 3/4" Swivel Stem

642-50 Aligner Canopy Kit
for 1/2" Swivel Stem

ST3-6 6" Stem 3/4"

ST3-12 12" Stem 3/4"

ST3-18 18" Stem 3/4"

ST3-24 24" Stem 3/4"

ST3-36 36" Stem 3/4"

ST3-48 48" Stem 3/4"

ST3-60 60" Stem 3/4"

ST3-72 72" Stem 3/4"

ST3-96 96" Stem 3/4"

ST2-6 6" Stem 1/2"

ST2-12 12" Stem 1/2"

ST2-18 18" Stem 1/2"

ST2-24 24" Stem 1/2"

ST2-36 36" Stem 1/2"

ST2-48 48" Stem 1/2"

ST2-60 60" Stem 1/2"



ST2-72 72" Stem 1/2"

ST2-96 96" Stem 1/2"

PLS

Metro Series

Cord Mounting

<p>643-10FT Cord Canopy, 10ft.</p>	<p>643-20FT Cord Canopy, 20ft.</p>	<p>643HD-10FT Heavy Duty Cord Canopy, 10ft.</p>	<p>643HD-20FT Heavy Duty Cord Canopy, 20ft.</p>
<p>503-10FT Cord Canopy with 3 Aircraft Cables, 10ft</p>	<p>503-20FT Cord Canopy with 3 Aircraft Cables, 20ft</p>	<p>649-10FT-WH Basic Economical White Cord & Canopy Setup, 10FT</p> <p>Basic Economical Cord, Socket & Canopy assembly for RLMs in indoor applications.</p> <p>Cord: 10ft White 3C, 120V</p> <p>Canopy: Mounts to 4in Octagon jBox</p> 	<p>649-10FT-BK Basic Economical Black Cord & Canopy Setup, 10FT</p> <p>Basic Economical Cord, Socket & Canopy assembly for RLMs in indoor applications.</p> <p>Cord: 10ft Black 3C, 120V</p> <p>Canopy: Mounts to 4in Octagon jBox</p> 

Cords



CBK

Standard Black Cord, 10FT



CWH

Standard White Cord, 10FT



CSL

Silicone Sleeve Cord, 10FT



CCRD

Red Cloth Cord, 10FT



CCBP

Bright Pink Cloth Cord, 10FT



CCOR

Orange Cloth Cord, 10FT



CCRB

Royal Blue Cloth Cord, 10FT



CCLB

Light Blue Cloth Cord, 10FT



CCLG

Lime Green Cloth Cord, 10FT



CCFG

Forest Green Cloth Cord, 10FT



CCBK

Black Cloth Cord, 10FT



CCWH

White Cloth Cord, 10FT



CCGBB

Green Blue Brown Mix Cloth Cord, 10FT



CCBW1

Black White 1 Cloth Cord, 10FT

E

LENS

41 Glass Jelly Jar



41 41 - Clear



41CAM 41 Amber



41CBL 41 Blue



41CGN 41 Green



41COP 41 Opal



41CRD 41 Red



41F 41 Frost



41PR 41 Prismatic



41S 41S - Clear Short



41SF 41SF - Frost Short

41SPR 41 Short - Prismatic