

TENDA ALUMINUM

Decorative Reflectors



A

REFLECTOR

B

FINISH

C

LAMP TYPE

D

MOUNTING

E

LENS

F

CAST GUARD

A

REFLECTOR

TENDI7 Tenda 17in
Aluminum Reflector

TENDA17FL Frosted Lens.
Mounts 1/3 (4in) from
Bottom of reflector.

TENDA ALUMINUM

Decorative Reflectors

B FINISH

Use prefix of i for Indoor Finish and e for Exterior Finish, iGXX & eGXX

Powder Coat Finishes

 GXX To be determined.	 G0 Black	 G1 White	 G2 Red	 G3 Yellow	 G4 Blue	 G5 Green	 G6 Brown	 G7 Verdigris
 G8 Dark Bronze	 G9 Silver	 G10 Dark Green	 G11 Copper	 G12 Brushed Aluminum	 G13 Tan	 G14 Gunmetal	 G15 Rust	 G16 Silver Wrinkle
 G17 Architectural Bronze	 G18 Rock Garden Green	 G20 Silver Cast	 G21 Hammered Copper	 G22 Dark Platinum	 G23 Silver Camero	 G24 Orange	 G25 Navy Blue	 G26 Chrome
 G27 Matte Black	 G28 Sun Gold	 G29 Brilliant Blue	 G30 Mirror Black	 G50 Neon Orange	 G51 Neon Pink	 G52 Neon Yellow	 G53 Lime Green Neon	

TENDA ALUMINUM

Decorative Reflectors

C LAMP TYPE

Sockets



MED5 E26 Medium Base Socket



GU24 GU24 Socket



GX24Q GX24Q Socket

LVEV1

LED: Bridgelux Vero, Available with either 27/30/35/40K Driver: ERP PSB Series, 120/277V, 0-10V Dimming



LVEV1-1700-XXK LVEV - 1700LMm, 14W

LVEV1-2000-XXK LVEV - 2000LM, 16W

LVEV1-2500-XXK LVEV - 2500LM, 21W

LVEV1-3000-XXK LVEV - 3000LM, 26W

LVEV1-4000-XXK LVEV - 4000LM, 36W

LVFV1

LED: Bridgelux Vero, Available with either 27/30/35/40K Driver: ERP PSB Series, 120/277V, 0-10V Dimming



LVFV1-1250-XXK LVFV1 - 1250LM, 10W, Indoor

LVFV1-1500-XXK LVFV1 - 1500LM, 12W, Indoor

LVFV1-1700-XXK LVFV1 - 1700LM, 14W, Indoor

LVFV1-2000-XXK LVFV1 - 2000LM, 16W, Indoor

TENDA ALUMINUM

Decorative Reflectors

LBAC1-1 - Indoor Only

LED: 1 x Cree CMA25, Available with either 27/30/35/40K Driver: ERP PSB Series, 120/277V, 0-10V Dimming



LBAC1-1-1600-XXK LBAC1 -
Single Module, 1600LM,
15W

LBAC1-1-1800-XXK LBAC1 -
Single Module, 1800LM,
17W

LBAC1-1-2000-XXK LBAC1 -
Single Module, 2000LM,
18W

LBAC1-1-2500-XXK LBAC1 -
Single Module, 2500LM,
23W

LBAC1-1-3000-XXK LBAC1 -
Single Module, 3000LM,
27W

LBAC1-1-4000-XXK LBAC1 -
Single Module, 4000LM,
36W

LBAC1-1-5000-XXK LBAC1 -
Single Module, 5000LM,
45W

LBAC1-2 - Indoor Only

LED: 2 x Cree CMA25, Available with either 27/30/35/40K Driver: ERP PSB Series, 120/277V, 0-10V Dimming



LBAC1-2-1600-XXK LBAC1 -
Dual Module, 3200LM, 30W

LBAC1-2-1800-XXK LBAC1 -
Dual Module, 3600LM, 34W

LBAC1-2-2000-XXK LBAC1 -
Dual Module, 4000LM, 36W

LBAC1-2-2500-XXK LBAC1 -
Dual Module, 5000LM, 46W

LBAC1-2-3000-XXK LBAC1 -
Dual Module, 6000LM, 54W

LBAC1-2-4000-XXK LBAC1 -
Dual Module, 8,000LM, 72W

LBAC1-2-5000-XXK LBAC1 -
Dual Module, 10,000LM,
90W

TENDA ALUMINUM

Decorative Reflectors

D MOUNTING

BCC6C	<p>BCC6C-10FT 6in - Ballasted Canopy for Cord, CFL & LED-10FT</p> <p>BCC6C-20FT 6in - Ballasted Canopy for Cord, CFL & LED-20FT</p>

BCC6S	<p>BCC6S-1/2 6in - Ballasted Canopy for Stems, HID & CFL 1/2</p> <p>BCC6S-3/4 6in - Ballasted Canopy for Stems, HID & CFL 3/4</p>

BCC6A	<p>BCC6A-1/2 6in - Ballasted Canopy for Aligners, CFL, LED, 1/2</p> <p>BCC6A-3/4 6in - Ballasted Canopy for Aligners, CFL, LED, 3/4</p>


<p>BDC - Small Ceiling Driver Enclosure</p> <p><i>Small Driver Enclosure Canopy for LED modules with small form drivers. Will work with a max of 2 PSB Drivers or 1 Lutron driver. 30W Max per driver. Accepts cord, 1/2-NPT stem, 3/4-NPT stem, single aircraft cable, or three aircraft cables. Dimensions: OD 5.5in x 2in</i></p>	
--	--

<p>BDC6C-10FT BDC Style Driver Enclosure with 10ft Cord</p>	<p>BDC6C-20FT BDC Style Driver Enclosure with 20ft Cord</p>	<p>BDC6S-75 BDC Style Driver Enclosure for 3/4-NPT Stem</p>	<p>BDC6S-50 BDC Style Driver Enclosure for 1/2-NPT Stem</p>
<p>BDC6C1A-10FT BDC Style Driver Enclosure with 1 Aircraft Cable & 10ft Cord.</p>	<p>BDC6C1A-20FT BDC Style Driver Enclosure with 1 Aircraft Cable & 20ft Cord.</p>	<p>BDC6C3A-10FT BDC Style Driver Enclosure with 3 Aircraft Cable & 10ft Cord.</p>	<p>BDC6C3A-20FT BDC Style Driver Enclosure with 3 Aircraft Cable & 20ft Cord.</p>


TENDA ALUMINUM

Decorative Reflectors

BCW Style



BCW5 7in - SC Gooseneck Ballast Box



BCW6 6in - SC Gooseneck Ballast Box

















BCW7 Discontinued - 7in - SC Gooseneck Ballast Box

TENDA ALUMINUM

Decorative Reflectors


Gooseneck Top - Top Mounted



Goosenecks are made from 3/4 Schedule 40 aluminum and threaded 3/4-NPT. Comes with die cast aluminum back plate that mounts to 4in Octagon box with 3.5in spacing. Custom Goosenecks can be found online or by providing a sketch.

<p>GN23A 23" Style A Gooseneck</p> 	<p>GN17A Gooseneck Style A - 17in</p> 	<p>GN48B 48" Style B Gooseneck</p> 	<p>GN30C 30" Style C Gooseneck</p> 
<p>GN24D 24" Style D Gooseneck</p> 	<p>GN40E 40" Style E Gooseneck</p> 	<p>GN56F 56" Style F Gooseneck</p> 	<p>GN32G 32" Style G Gooseneck</p> 
<p>GN22H 22" Style H Gooseneck</p> 	<p>GN25J 25" Style J Gooseneck</p> 	<p>GN10K 10" Style K Gooseneck</p> 	<p>GN41P 41" Style P Gooseneck</p> 
<p>GN37U 37" Style U Gooseneck</p> 	<p>GN10U Gooseneck - Style U - 10in</p> 		

TENDA ALUMINUM

Decorative Reflectors

Stem Mounting			
640-75 Canopy kit for 3/4" Rigid Stem	640-50 Canopy kit for 1/2" Rigid Stem	642-75 Aligner Canopy Kit for 3/4" Swivel Stem	642-50 Aligner Canopy Kit for 1/2" Swivel Stem
ST3-6 6" Stem 3/4"	ST3-12 12" Stem 3/4"	ST3-18 18" Stem 3/4"	ST3-24 24" Stem 3/4"
ST3-36 36" Stem 3/4"	ST3-48 48" Stem 3/4"	ST3-60 60" Stem 3/4"	ST3-72 72" Stem 3/4"
ST3-96 96" Stem 3/4"	ST2-6 6" Stem 1/2"	ST2-12 12" Stem 1/2"	ST2-18 18" Stem 1/2"
ST2-24 24" Stem 1/2"	ST2-36 36" Stem 1/2"	ST2-48 48" Stem 1/2"	ST2-60 60" Stem 1/2"
ST2-72 72" Stem 1/2"	ST2-96 96" Stem 1/2"		

Cord Mounting			
643-10FT Cord Canopy, 10ft.	643-20FT Cord Canopy, 20ft.	643HD-10FT Heavy Duty Cord Canopy, 10ft.	643HD-20FT Heavy Duty Cord Canopy, 20ft.
503-10FT Cord Canopy with 3 Aircraft Cables, 10ft	503-20FT Cord Canopy with 3 Aircraft Cables, 20ft	<p>649-10FT-WH Basic Economical White Cord & Canopy Setup, 10FT</p> <p>Basic Economical Cord, Socket & Canopy assembly for RLMs in indoor applications.</p> <p>Cord: 10ft White 3C, 120V</p> <p>Canopy: Mounts to 4in Octagon jBox</p> 	<p>649-10FT-BK Basic Economical Black Cord & Canopy Setup, 10FT</p> <p>Basic Economical Cord, Socket & Canopy assembly for RLMs in indoor applications.</p> <p>Cord: 10ft Black 3C, 120V</p> <p>Canopy: Mounts to 4in Octagon jBox</p> 

Cords

TENDA ALUMINUM

Decorative Reflectors



CBK

Standard Black Silicone Cord, 10FT



CWH

Standard White Silicone Cord, 10FT



CSL

Silicone Sleeve Cord, 10FT



CCRD

Red Cloth Cord, 10FT



CCBP

Bright Pink Cloth Cord, 10FT



CCOR

Orange Cloth Cord, 10FT



CCRB

Royal Blue Cloth Cord, 10FT



CCLB

Light Blue Cloth Cord, 10FT



CCLG

Lime Green Cloth Cord, 10FT



CCFG

Forest Green Cloth Cord, 10FT



CCBK

Black Cloth Cord, 10FT



CCWH

White Cloth Cord, 10FT



CCGBB

Green Blue Brown Mix Cloth Cord, 10FT



CCBW1

Black White 1 Cloth Cord, 10FT

TENDA ALUMINUM

Decorative Reflectors

E

LENS

41 Glass Jelly Jar



41 41 - Clear



41CAM 41 Amber



41CBL 41 Blue



41CGN 41 Green



41COP 41 Opal



41CRD 41 Red



41F 41 Frost



41PR 41 Prismatic



41S 41S - Clear Short



41SF 41SF - Frost Short

41SPR 41 Short - Prismatic

41 Lexan



41L 41 Lexan Clear



41LCAM 41 Lexan Amber



41LCBL 41 Lexan Blue



41LCGN 41 Lexan Green



41LCOP 41 Lexan Opal



41LCRD 41 Lexan Red



41LPR 41 Lexan Prismatic

TENDA ALUMINUM

Decorative Reflectors

42 Glass Jelly Jar



42 42 Clear

Max: INC - 300W, HID - 175W, CFL - 42W



42CAM 42 Amber

Max: INC - 200W, HID - 175W, CFL - 42W



42CBL 42 Blue

Max: INC - 200W, HID - 175W, CFL - 42W



42CGN 42 Green

Max: INC - 200W, HID - 175W, CFL - 42W



42COP 42 Opal

Max: INC - 200W, HID - 175W, CFL - 42W



42CRD 42 Red

Max: INC - 200W, HID - 175W, CFL - 42W



42PR 42 Prismatic

Max: INC - 300W, HID - 175W, CFL - 42W

TENDA ALUMINUM

Decorative Reflectors

42 Lexan



42L 42 Lexan Clear



42L-CAM 42 Lexan Amber



42LCBL 42 Lexan Blue



42LCGN 42 Lexan Green



42LCOP 42 Lexan Opal



42LCRD 42 Lexan Red



42LPR 42 Lexan Prismatic

F CAST GUARD

Guard



31DCG 31DCG

32DCG 32DCG

31 31 Wire Guard for 41 Glass

32 32 Wire Guard for 42 Glass