


ZELLA

Decorative Reflectors



A SERIES

Concept: Spun aluminum decorative shade.

Dimensions: Height: 5-3/4 in, Diameter: 10-1/2 in

Finish: Powder Coat Finish. Complete color selection found at bock.lighting/colors.

Certification: Built to UL 1598 and UL Certified for Damp Locations.

ZELLA10 Zella Decorative Spinning - 10in

ZELLA

Decorative Reflectors

B FINISH

iGXX for Inside Finish, eGxx for Outside Finish

Powder Coat Finishes

| | | | | | | | | |
|-------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
|  GXX To be determined. |  G0 Black |  G1 White |  G2 Red |  G3 Yellow |  G4 Blue |  G5 Green |  G6 Brown |  G7 Verdigris |
|  G8 Dark Bronze |  G9 Silver |  G10 Dark Green |  G11 Copper |  G12 Brushed Aluminum |  G13 Tan |  G14 Gunmetal |  G15 Rust |  G16 Silver Wrinkle |
|  G17 Architectural Bronze |  G18 Rock Garden Green |  G20 Silver Cast |  G21 Hammered Copper |  G22 Dark Platinum |  G23 Silver Camero |  G24 Orange |  G25 Navy Blue |  G26 Chrome |
|  G27 Matte Black |  G28 Sun Gold |  G29 Brilliant Blue |  G30 Mirror Black |  G50 Neon Orange |  G51 Neon Pink |  G52 Neon Yellow |  G53 Lime Green Neon | |

ZELLA

Decorative Reflectors



LAMP TYPE

Sockets



MED5 E26 Medium Base Socket



GU24 GU24 Socket



GX24Q GX24Q Socket

Lamp Type

Concept: LAC02 is a versatile LED module that can be installed inside most of Bock's RLMs. It gives the flexibility in lumens and kelvin on the jobsite.

LED: Adjustable Kelvin LEDs with 3 x Lumens & 4 x Kelvins

Lumens: 1500, 1850, or 2400LM

Kelvin: 3000, 3500, 4000, or 5000K

CRI: 80

Jelly Jar: 41 Compatible with Wire or Cast Guard

Guard: Compatible with 31DCG Cast Guard and 31 Wireguard

Dimming: 0-10V Down to 10%

Voltage: 120-277V 50/60Hz

Color: White

Certification: cULus



LAC02 LAC Integral LEDs with Adjustable Lumens & Kelvin, 26W

ZELLA

Decorative Reflectors

LBAC1-1 - Indoor Only

LED: 1 x Cree CMA25, Available with either 27/30/35/40K Driver: ERP PSB Series, 120/277V, 0-10V Dimming



LBAC1-1-1600-XXK LBAC1 -
Single Module, 1600LM,
15W

LBAC1-1-1800-XXK LBAC1 -
Single Module, 1800LM,
17W

LBAC1-1-2000-XXK LBAC1 -
Single Module, 2000LM,
18W

LBAC1-1-2500-XXK LBAC1 -
Single Module, 2500LM,
23W

LBAC1-1-3000-XXK LBAC1 -
Single Module, 3000LM,
27W

LBAC1-1-4000-XXK LBAC1 -
Single Module, 4000LM,
36W

LBAC1-1-5000-XXK LBAC1 -
Single Module, 5000LM,
45W

LVFV1

LED: Bridgelux Vero, Available with either 27/30/35/40K Driver: ERP PSB Series, 120/277V, 0-10V Dimming



LVFV1-1250-XXK LVFV1 -
1250LM, 10W, Indoor

LVFV1-1500-XXK LVFV1 -
1500LM, 12W, Indoor

LVFV1-1700-XXK LVFV1 -
1700LM, 14W, Indoor

LVFV1-2000-XXK LVFV1 -
2000LM, 16W, Indoor

LVGV1

LED: Bridgelux Vero18SE

Driver: AC Electronics - AC15CD350AT2S, 120-277V, 0-10V Dimming

LVGV1-1250-XXK LVGV1 -
1250LM

LVGV1-1500-XXK LVGV1 -
1500LM

LVGV1-1700-XXK LVGV1 -
1700LM




LVGV1-2000-XXK LVGV1 -
2000LM

ZELLA

Decorative Reflectors

D

MOUNTING















| | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------|
| BCW Style | | |  | |
|  | | | | |
| BCW5 7in - SC Gooseneck Ballast Box | | BCW6 6in - SC Gooseneck Ballast Box | | BCW7 Discontinued - 7in - SC Gooseneck Ballast Box |
| BDC - Small Ceiling Driver Enclosure | | |  | |
| <p><i>Small Driver Enclosure Canopy for LED modules with small form drivers. Will work with a max of 2 PSB Drivers or 1 Lutron driver. 30W Max per driver. Accepts cord, 1/2-NPT stem, 3/4-NPT stem, single aircraft cable, or three aircraft cables. Dimensions: OD 5.5in x 2in</i></p> | | | | |
| BDC6C-10FT BDC Style Driver Enclosure with 10ft Cord | | BDC6C-20FT BDC Style Driver Enclosure with 20ft Cord | | BDC6S-75 BDC Style Driver Enclosure for 3/4-NPT Stem |
| BDC6S-50 BDC Style Driver Enclosure for 1/2-NPT Stem | | BDC6C1A-10FT BDC Style Driver Enclosure with 1 Aircraft Cable & 10ft Cord. | | |
| BDC6C1A-20FT BDC Style Driver Enclosure with 1 Aircraft Cable & 20ft Cord. | | | | |

ZELLA

Decorative Reflectors


Gooseneck Top - Top Mounted



Goosenecks are made from 3/4 Schedule 40 aluminum and threaded 3/4-NPT. Comes with die cast aluminum back plate that mounts to 4in Octagon box with 3.5in spacing. Custom Goosenecks can be found online or by providing a sketch.

| | | | |
|-------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| <p>GN23A 23" Style A Gooseneck</p>  | <p>GN17A Gooseneck Style A - 17in</p>  | <p>GN48B 48" Style B Gooseneck</p>  | <p>GN30C 30" Style C Gooseneck</p>  |
| <p>GN24D 24" Style D Gooseneck</p>  | <p>GN40E 40" Style E Gooseneck</p>  | <p>GN56F 56" Style F Gooseneck</p>  | <p>GN32G 32" Style G Gooseneck</p>  |
| <p>GN22H 22" Style H Gooseneck</p>  | <p>GN25J 25" Style J Gooseneck</p>  | <p>GN10K 10" Style K Gooseneck</p>  | <p>GN41P 41" Style P Gooseneck</p>  |
| <p>GN37U 37" Style U Gooseneck</p>  | <p>GN10U Gooseneck - Style U - 10in</p>  | | |

ZELLA

Decorative Reflectors

| Stem Mounting | | |  |
|----------------------------------------------|----------------------------------------------|-------------------------------------------------------|-------------------------------------------------------------------------------------|
| 640-75 Canopy kit for 3/4" Rigid Stem | 640-50 Canopy kit for 1/2" Rigid Stem | 642-75 Aligner Canopy Kit for 3/4" Swivel Stem | 642-50 Aligner Canopy Kit for 1/2" Swivel Stem |
| ST3-6 6" Stem 3/4" | ST3-12 12" Stem 3/4" | ST3-18 18" Stem 3/4" | ST3-24 24" Stem 3/4" |
| ST3-36 36" Stem 3/4" | ST3-48 48" Stem 3/4" | ST3-60 60" Stem 3/4" | ST3-72 72" Stem 3/4" |
| ST3-96 96" Stem 3/4" | ST2-6 6" Stem 1/2" | ST2-12 12" Stem 1/2" | ST2-18 18" Stem 1/2" |
| ST2-24 24" Stem 1/2" | ST2-36 36" Stem 1/2" | ST2-48 48" Stem 1/2" | ST2-60 60" Stem 1/2" |
| ST2-72 72" Stem 1/2" | ST2-96 96" Stem 1/2" | | |

| Cord Mounting | | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|-------------------------------------------------|
| 643-10FT Cord Canopy, 10ft. | 643-20FT Cord Canopy, 20ft. | 643HD-10FT Heavy Duty Cord Canopy, 10ft. | 643HD-20FT Heavy Duty Cord Canopy, 20ft. |
| <p>649-10FT-WH Basic Economical White Cord & Canopy Setup, 10FT</p> <p>Basic Economical Cord, Socket & Canopy assembly for RLMs in indoor applications.</p> <p>Cord: 10ft White 3C, 120V</p> <p>Canopy: Mounts to 4in Octagon jBox</p>  | <p>649-10FT-BK Basic Economical Black Cord & Canopy Setup, 10FT</p> <p>Basic Economical Cord, Socket & Canopy assembly for RLMs in indoor applications.</p> <p>Cord: 10ft Black 3C, 120V</p> <p>Canopy: Mounts to 4in Octagon jBox</p>  | | |

Cords

ZELLA

Decorative Reflectors



CBK

Standard Black Silicone Cord, 10FT



CWH

Standard White Silicone Cord, 10FT



CSL

Silicone Sleeve Cord, 10FT



CCRD

Red Cloth Cord, 10FT



CCBP

Bright Pink Cloth Cord, 10FT



CCOR

Orange Cloth Cord, 10FT



CCRB

Royal Blue Cloth Cord, 10FT



CCLB

Light Blue Cloth Cord, 10FT



CCLG

Lime Green Cloth Cord, 10FT



CCFG

Forest Green Cloth Cord, 10FT



CCBK

Black Cloth Cord, 10FT



CCWH

White Cloth Cord, 10FT



CCGBB

Green Blue Brown Mix Cloth Cord, 10FT



CCBW1




















Black White 1 Cloth Cord, 10FT

ZELLA

Decorative Reflectors

E

LENS

| | | | | |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 41 Lexan | | | |  |
|  |  |  |  | |
| 41L 41 Lexan Clear | 41LCAM 41 Lexan Amber | 41LCBL 41 Lexan Blue | 41LCGN 41 Lexan Green | |
|  |  |  | | |
| 41LCOP 41 Lexan Opal | 41LCRD 41 Lexan Red | 41LPR 41 Lexan Prismatic | | |
| 41 Glass Jelly Jar | | | |  |
|  |  |  |  | |
| 41 41 - Clear | 41CAM 41 Amber | 41CBL 41 Blue | 41CGN 41 Green | |
|  |  |  |  | |
| 41COP 41 Opal | 41CRD 41 Red | 41F 41 Frost | 41PR 41 Prismatic | |
|  |  | 41SPR 41 Short - Prismatic | | |
| 41S 41S - Clear Short | 41SF 41SF - Frost Short | | | |